

1-2020

The Role of the Uncinate Margin in Pancreaticoduodenectomy for Pancreatic Ductal Adenocarcinoma: A Survival Analysis


David Nauheim
Thomas Jefferson University

Richard Zheng, MD
Thomas Jefferson University

Jonathan Bassig
Thomas Jefferson University

Matthew Chadwick
Thomas Jefferson University

Christopher Schultz
Follow this and additional works at: https://jdc.jefferson.edu/si_hs_2022_phase1
Thomas Jefferson University

 Part of the [Surgery Commons](#)

[Let us know how access to this document benefits you](#)

See next page for additional authors

Recommended Citation

Nauheim, David; Zheng, MD, Richard; Bassig, Jonathan; Chadwick, Matthew; Schultz, Christopher; Lavu, MD, FACS, Harish; Winter, MD, FACS, Jordan R.; Yeo, MD, FACS, Charles J.; and Berger, MD, FACS, Adam C., "The Role of the Uncinate Margin in Pancreaticoduodenectomy for Pancreatic Ductal Adenocarcinoma: A Survival Analysis" (2020). *Phase 1*. Paper 5.
https://jdc.jefferson.edu/si_hs_2022_phase1/5

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Phase 1 by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: JeffersonDigitalCommons@jefferson.edu.

Authors

David Nauheim; Richard Zheng, MD; Jonathan Bassig; Matthew Chadwick; Christopher Schultz; Harish Lavu, MD, FACS; Jordan R. Winter, MD, FACS; Charles J. Yeo, MD, FACS; and Adam C. Berger, MD, FACS

SI/HS Abstract Template

SKMC Class of 2022

Word count:

The Role of the Uncinate Margin in Pancreaticoduodenectomy for Pancreatic Ductal Adenocarcinoma: A Survival Analysis

David Nauheim, BA; Richard Zheng, MD; Jonathan Bassig, BA; Matthew Chadwick, BA; Christopher Schultz, BA; Harish Lavu, MD FACS; Jordan R. Winter, MD FACS; Charles J. Yeo, MD FACS; Adam C. Berger, MD FACS*

Introduction: Positive margins during pancreaticoduodenectomy for pancreatic cancer portend worse survival, but additional resection of the uncinata margin is typically unfeasible without major vascular reconstruction. The survival benefit of resecting additional neck or bile duct margins in the face of a positive uncinata is also unknown. We examined the impact of re-resection of these margins on survival.

Methods: Patients with pancreatic adenocarcinoma who underwent pancreaticoduodenectomy from 2006-2015. Pancreatic neck, bile duct, uncinata, and duodenal frozen section margins were assessed before and after resection of positive margins. Kaplan-Meier survival curves were compared with log-rank tests. Multivariable Cox regression was used to assess the effect of margin status on overall survival.

Results: Among 508 patients identified, 388 (76.4%) underwent a pylorus-preserving procedure, 435 (85.6%) had T3 tumors, and 379 (74.6%) had nodal involvement. There were 21 instances where an uncinata margin was concurrently positive with a neck or bile duct margin; this additional neck or bile duct margin was resected in 13 cases (61.9%). Resection of additional margins when the uncinata was concurrently positive was not associated with improved survival ($p=0.36$). Median survival with and without positive uncinata margins was 13.8 vs. 19.7 months

SI/HS Abstract Template

($p=0.04$). A positive uncinate margin was associated with decreased survival independent of other margins and cancer stage (HR 1.28 [95% CI 1.00-1.65]).

Conclusion: In patients with pancreatic adenocarcinoma, positive uncinate margins are associated with decreased overall survival; resection of additional margins at the neck and bile duct in those with a positive uncinate margin is not warranted.