

11-2010

Chart Rounds in the Digital Age: A Survey of North American Institutions

M. A. Whiton

Skagit Valley Hospital Regional Cancer Care Center, Mt. Vernon, WA

A. P. Dicker

Thomas Jefferson University

E. J. Wuthrick

Thomas Jefferson University

L. Doyle

Thomas Jefferson University

A. S. Harrison

Thomas Jefferson University

Follow this and additional works at: <https://jdc.jefferson.edu/radoncfp>



Part of the [Oncology Commons](#), and the [Radiology Commons](#)

See next page for additional authors

[Let us know how access to this document benefits you](#)

Recommended Citation

Whiton, M. A.; Dicker, A. P.; Wuthrick, E. J.; Doyle, L.; Harrison, A. S.; and Lawrence, Y. R., "Chart Rounds in the Digital Age: A Survey of North American Institutions" (2010). *Department of Radiation Oncology Faculty Papers*. Paper 15.

<https://jdc.jefferson.edu/radoncfp/15>

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Department of Radiation Oncology Faculty Papers by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: JeffersonDigitalCommons@jefferson.edu.

Authors

M. A. Whiton, A. P. Dicker, E. J. Wuthrick, L. Doyle, A. S. Harrison, and Y. R. Lawrence

Chart Rounds in the Digital Age: A Survey of North American Institutions

M. A. Whiton*, A. P. Dicker, E. J. Wuthrick, L. Doyle, A. S. Harrison, Y. R. Lawrence
 Jefferson Medical College of Thomas Jefferson University, Philadelphia, PA
 Skagit Valley Hospital Regional Cancer Care Center, Mt. Vernon, WA*

PURPOSE

Recent reports of medical errors in radiation treatment delivery have emphasized the importance of quality assurance (QA) practices. Strict guidelines exist for medical physics QA, but not for QA procedures as applied to clinicians. We sought to document how clinical quality assurance (QA) meetings or “chart rounds” are performed across academic North American Radiation Oncology departments.


METHODS

We surveyed senior residents at academic institutions in US / Canada via an anonymous web-based survey. Questions addressed various aspects of clinical QA & departmental structure, such as patient throughput, the availability and evaluation of advanced technologies (reported as complexity score), and the frequency of treatment change recommendations made at QA conference.

RESULTS

59/91 (65%) of queried institutions responded.

Geographic Response to Survey




For more information, please contact:
 michalwhiton@gmail.com
 yaacovla@gmail.com

RESULTS


Treatment Modalities Reviewed

- Over 80% of institutions review all EBRT
- Rates are lower for other modalities:
 - SRS = 60%
 - Brachytherapy = 50%
 - 42% do not review prostate brachytherapy
 - 31% do not review gynecologic brachytherapy



Dosimetric Variables Considered




- Pt history & Rx were reviewed in >79% of institutions
- Finer details of dosimetry (beams, wedges), 62%
 - Isodose coverage, 59%
 - Dose-volume histograms, 50%
 - IMRT constraints, 40%
 - Conebeam images were never reviewed in 51%



Minor and Major Changes to Treatment Plans Based on QA Review

- Minor changes to a tx plan after chart rounds was defined as a small MLC change/re-port-film
- 65% of institutions report minor changes after chart-rounds in < 10% of treatment plans
 - 32% report minor changes to 10 - 30% of treatment plans
- Major changes were defined as a dose prescription change or a re-plan with dosimetry recommendation
- 75% of institutions report < 10% of treatment plans require a major alteration
 - 11% report major changes to 10 - 30% of treatment plans
 - 14% of institutions never make major treatment plan alterations, while 2% never make minor alterations

Complexity of Treatment and Time Spent Per Patient in QA



CONCLUSION

The practice of QA chart-rounds varies greatly across North American academic institutions. Surprisingly, despite the fact that chart rounds seldom review the full range of critical data available, changes are frequently made. Brachytherapy treatment plans and radiosurgical procedures are rarely reviewed. The potential effect of a more thorough QA review on patient outcomes is not known. The authors are currently drafting a guideline document.