

1-2020

Determining the Role of Surgery in Diagnosis and Treatment of Primary CNS Lymphoma

Tyler Fox

Thomas Jefferson University, tyler.fox@jefferson.edu

Michael Baldassari

Thomas Jefferson University, michael.baldassari@jefferson.edu

Lohit Velagapudi

Thomas Jefferson University, lohith.velagapudi@jefferson.edu

Karim Hafazalla

Thomas Jefferson University, karim.hafazalla@jefferson.edu

Follow this and additional works at: https://jdc.jefferson.edu/si_ctr_2022_phase1

Christopher J. Farrell, MD

Part of the [Oncology Commons](#), [Surgery Commons](#), and the [Translational Medical Research Commons](#)

Thomas Jefferson University, christopher.farrell@jefferson.edu

[Let us know how access to this document benefits you](#)

See next page for additional authors

Recommended Citation

Fox, Tyler; Baldassari, Michael; Velagapudi, Lohit; Hafazalla, Karim; Farrell, MD, Christopher J.; Evans, MD, James J.; Andrews, MD, David W.; Judy, MD, Kevin; and Ye, MD, Donald, "Determining the Role of Surgery in Diagnosis and Treatment of Primary CNS Lymphoma" (2020). *Phase 1*. Paper 69.

https://jdc.jefferson.edu/si_ctr_2022_phase1/69

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Phase 1 by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: JeffersonDigitalCommons@jefferson.edu.

Authors

Tyler Fox; Michael Baldassari; Lohit Velagapudi; Karim Hafazalla; Christopher J. Farrell, MD; James J. Evans, MD; David W. Andrews, MD; Kevin Judy, MD; and Donald Ye, MD

Determining the Role of Surgery in Diagnosis and Treatment of Primary CNS Lymphoma

Tyler Fox, BS, Michael P. Baldassari, BA; Lohit Velagapudi, BS; Karim Hafazalla, BS; Christopher J. Farrell, MD; James J. Evans, MD; David W. Andrews, MD; Kevin Judy, MD; Donald Ye, MD*

Introduction: Primary central nervous system lymphoma (PCNSL) is a rare entity typically treated with a combination of chemotherapy and radiation. The role of surgery is controversial, and biopsy may be non-definitive or injurious. We review our series of stereotactic and excisional biopsy as well as surgical debulking of PCNSL to quantify overall risk and benefits.

Methods: Patients with biopsy-confirmed intracranial PCNSL were identified from a large single-center academic institution between 2012-2018. Preoperative factors and perioperative outcomes were retrospectively reviewed.

Results: A total of 61 cases of PCNSL were identified. Most patients presented with confusion (23.0%), weakness/paralysis (19.7%), and gait disturbance (18.0%). 1.6% were incidentally identified. HIV status was positive in 8.2% of cases. CSF cytology was positive for malignancy in 33.3% of applicable cases. Of all procedures, 44.3% were needle biopsy, 27.9% were open excisional biopsies, and 27.9% were surgical debulking procedures. Prior biopsy had been performed in 9.8%, of which 83.3% (5/6) were positive for PCNSL. Intraoperative frozen pathology failed to illicit a definitive diagnosis in 39.3% of cases despite adequate sampling. Stereotactic biopsies did not demonstrate an increased risk of non-diagnostic frozen pathology compared to open excisional biopsy. Intraoperative complications, 30-day mortality, and long-term survival was not associated with open vs. stereotactic biopsy.

Discussion: Biopsy of PCNSL carries a moderate surgical risk that should not be discounted, particularly in the setting of previously diagnosed PCNSL or with evidence of malignancy in CSF cytology. Early initiation of chemotherapy continues to be the mainstay of long-term response and control.