

4-1-2015

Complementary and alternative medicine in cancer prevention and therapy.

Peng Cao

Laboratory of Cellular and Molecular Biology, Jiangsu Province Institute of Traditional Chinese Medicine

Senthamil R Selvan

Department of Medical Oncology, Thomas Jefferson University, Senthamil.Selvan@jefferson.edu

Esra Küpeli Akkol

Department of Pharmacognosy, Faculty of Pharmacy, Gazi University

Ning Wang

Department of Oncology, Luxembourg Institute of Health

Hongjun Yang

*Institute of Chinese Materia Medica, China Academy of Chinese Medical Sciences**See next page for additional authors*

[Let us know how access to this document benefits you](#)

Follow this and additional works at: <https://jdc.jefferson.edu/medoncfp> Part of the [Oncology Commons](#)

Recommended Citation

Cao, Peng; Selvan, Senthamil R; Küpeli Akkol, Esra; Wang, Ning; Yang, Hongjun; and Cheng, Xiaolan, "Complementary and alternative medicine in cancer prevention and therapy." (2015).

Department of Medical Oncology Faculty Papers. Paper 39.<https://jdc.jefferson.edu/medoncfp/39>

Authors

Peng Cao, Senthamil R Selvan, Esra Küpeli Akkol, Ning Wang, Hongjun Yang, and Xiaolan Cheng

Editorial

Complementary and Alternative Medicine in Cancer Prevention and Therapy

**Peng Cao,¹ Senthamil R. Selvan,² Esra Küpeli Akkol,³ Ning Wang,⁴
Hongjun Yang,⁵ and Xiaolan Cheng¹**

¹Laboratory of Cellular and Molecular Biology, Jiangsu Province Institute of Traditional Chinese Medicine, Nanjing 210028, China

²Department of Medical Oncology, Thomas Jefferson University, Philadelphia, PA 19107, USA

³Department of Pharmacognosy, Faculty of Pharmacy, Gazi University, Etiler, 06330 Ankara, Turkey

⁴Department of Oncology, Luxembourg Institute of Health, 84 Val Fleuri,
1526 Luxembourg, Luxembourg

⁵Institute of Chinese Materia Medica, China Academy of Chinese Medical Sciences, China

Correspondence should be addressed to Peng Cao; pcao79@yahoo.com

Received 12 January 2015; Accepted 12 January 2015

Copyright © 2015 Peng Cao et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Although there have been great achievements in the battle against cancer over the past decades, cancer is still the leading cause of death in developing countries like China. Complementary and alternative medicine (CAM), especially traditional Chinese medicine (TCM), usually having good clinical tolerability, is applied as an adjuvant therapy to treat cancer in China based on TCM or modern pharmacological theories. In the west, CAM has increasingly become popular in cancer patients. It is estimated that the United States National Cancer Institute (NCI) spends around \$120 million each year on complementary and alternative medicine related research projects. However, a fact is that although a lot of CAMs are widely used clinically, most evidence supporting their use came from poorly reported published clinical studies or studies with questionable methodology. Call for high quality evidence is a mission of this special issue. This issue on CAM for treatment or prevention of cancer compiles 13 exciting manuscripts, most of which reporting the efficacy and possible mechanisms of action of CAM or active constituents on cancer prevention and/or therapy in clinical and experimental levels.

S. S. M. Fong et al. contributed high quality evidence about Tai Chi Qigong Training for balance performance in irradiated survivors of nasopharyngeal cancer by a well-designed, well-conducted, and well-reported randomized controlled trial. Totally 120 senior adults participated in

the study voluntarily. In this cross-sectional exploratory study, they have done very well on the ethics issues including protocol approval by ethical committee, properly informed consent, and high quality methodological issues, including the randomization method and allocation procedure, the recruitment of patients, the data management, the analysis method of results. All of the procedures were conducted according to the Declaration of Helsinki. This transparency makes readers confident to trust the result of the study. This is the first study to show that participating survivors of NPC had inferior OLS balance performances in all of the visual and supporting surface conditions compared with age-matched healthy counterparts. TC Qigong might be a potential rehabilitation exercise to improve the somatosensory function and single-leg standing balance performance of survivors of NPC. The shortcoming of this study is that it uses a convenience sample which may have introduced a self-selection bias that may threaten the internal validity of the study. In addition, homogenous subject group, small sample size, and OLS clinical test for balance performance assessment may limit the generalizability of results. However, we still believe that this study and its report could be a good evidence for efficacy of CAMs.

This edition also includes a review that discusses the possibility of TCM as maintenance therapy for advanced nonsmall cell lung cancer. The review concludes that TCM

as maintenance therapy can improve the QOL and prolong the PFS of advanced NSCLC patients. Besides, TCM can be applied for NSCLC patients not limited in population selection. However, there are only small sample clinical trials about TCM as maintenance therapy for advanced NSCLC. More large-scale trials of TCM as maintenance therapy for advanced NSCLC are expected.

For experimental study, A. Movahedi et al. investigated the capability of the decoction of *Teucrium polium* L. from Lamiaceae family to protect liver cells against hepatocellular carcinoma in carcinogenesis-induced animal model. After 28 weeks of treatment, they found that serum biochemical markers (ALT, AST, AFP, GGT, ALP, HCY, TNF- α , α 2MG, and CBG), total antioxidant status, liver lesion, and glucocorticoid activity were all regulated auspiciously by *Teucrium polium* L. Y. Lin et al. studied that elemene, a compound found in an herb used in traditional Chinese medicine, has the effect of protecting cancer cells from death either in apatinib induced nutrient deficient environment or in serum-free induced starvation. Further data on the mechanism study revealed that elemene induced protective autophagy and prevented human hematoma cancer cells from undergoing apoptosis.

In addition to the mentioned papers above, other studies included in this issue provide sufficient scientific evidence from CAM research to clarify their mechanism of action and demonstrate their efficacy and safety. Through the rigorous researches, the benefits of CAM therapies will be highlighted, and this will support the clinical use of CAMs and help integrating CAM into the mainstream medicine. We hope that this special issue informs us about the rationale use of CAM in cancer prevention and therapy. We also hope that the papers included in this issue play a role in reflecting the recent advancement in the field of CAM.

Peng Cao
Senthamil R. Selvan
Esra Küpeli Akkol
Ning Wang
Hongjun Yang
Xiaolan Cheng