

1-2020

## Improving the Accuracy of DaT Scan Interpretation: a retrospective study to identify variables that standardize the review of DaT scans for idiopathic Parkinson's disease

Hannah Hackbart

*Thomas Jefferson University, hannah.hackbart@jefferson.edu*

Andrew B. Newberg, MD

*Thomas Jefferson University, Andrew.Newberg@jefferson.edu*

Tsao-Wei Liang, MD

*Thomas Jefferson University, tsao-wei.liang@jefferson.edu*

Follow this and additional works at: [https://jdc.jefferson.edu/si\\_ctr\\_2022\\_phase1](https://jdc.jefferson.edu/si_ctr_2022_phase1)



Part of the [Neurology Commons](#), and the [Translational Medical Research Commons](#)

[Let us know how access to this document benefits you](#)

---

### Recommended Citation

Hackbart, Hannah; Newberg, MD, Andrew B.; and Liang, MD, Tsao-Wei, "Improving the Accuracy of DaT Scan Interpretation: a retrospective study to identify variables that standardize the review of DaT scans for idiopathic Parkinson's disease" (2020). *Phase 1*. Paper 60.

[https://jdc.jefferson.edu/si\\_ctr\\_2022\\_phase1/60](https://jdc.jefferson.edu/si_ctr_2022_phase1/60)

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Phase 1 by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: [JeffersonDigitalCommons@jefferson.edu](mailto:JeffersonDigitalCommons@jefferson.edu).

Improving the Accuracy of DaT Scan Interpretation: a retrospective study to identify variables that standardize the review of DaT scans for idiopathic Parkinson's disease.

Hannah Hackbart, Andrew Newberg M.D., Tsao-Wei Liang M.D.\*

**Introduction:** Until recently, the diagnosis of Parkinson's disease (PD) has been based solely on clinical observation. The DaT scan is a tool that allows clinicians to visualize areas of neurodegeneration in PD and can help guide diagnosis. However, there is a discordance between clinical judgement and interpretation of DaT scans. In this study, we aim to improve the utility of DaT scans in the diagnosis of PD by identifying factors that can lead to a misdiagnosis and determine which image findings predict a clinical syndrome of parkinsonism.

**Methods:** We will conduct a retrospective chart review to analyze DaT scans of 100 patients clinically diagnosed with PD. We will calculate the initial SN/SP/PPV/NPV for diagnoses based clinically compared to scan. We will then blindly review and reclassify all scans as definitely abnormal, definitely normal, or indeterminate. We will then recalculate a revised SN/SP/PPV/NPV to see if these values changed following reanalysis. From the discordant scans, we will attempt to identify factors that can further assist in interpreting DaT scans.

**Results:** Patients have been identified and we are in the process of extracting data. We anticipate that after systematic, careful re-review, the specificity of DaT scans will be higher, due to improvement in identifying positive scans.

**Discussion:** Imaging can be costly and cumbersome for patients and clinicians alike. Currently, DaT scans do not offer an improved accuracy in diagnosis over clinical judgement. If the interpretation of DaT scans can be optimized, they will be of greater utility to both patients and physicians.