

1-2020

## Effects of Corneal Transplant on Rates of Retinal Detachment

Daniel S. MacKinnon

*Thomas Jefferson University, [daniel.mackinnon@jefferson.edu](mailto:daniel.mackinnon@jefferson.edu)*

Zeba A. Syed, MD

*Thomas Jefferson University*

Durga Borkar

*Thomas Jefferson University, [durga.borkar@jefferson.edu](mailto:durga.borkar@jefferson.edu)*

Hannah Levin

*Thomas Jefferson University, [hannah.levin@jefferson.edu](mailto:hannah.levin@jefferson.edu)*

Follow this and additional works at: [https://jdc.jefferson.edu/si\\_ctr\\_2022\\_phase1](https://jdc.jefferson.edu/si_ctr_2022_phase1)



Part of the [Ophthalmology Commons](#), and the [Translational Medical Research Commons](#)

**[Let us know how access to this document benefits you](#)**

---

### Recommended Citation

MacKinnon, Daniel S.; Syed, MD, Zeba A.; Borkar, Durga; and Levin, Hannah, "Effects of Corneal Transplant on Rates of Retinal Detachment" (2020). *Phase 1*. Paper 41.

[https://jdc.jefferson.edu/si\\_ctr\\_2022\\_phase1/41](https://jdc.jefferson.edu/si_ctr_2022_phase1/41)

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Phase 1 by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: [JeffersonDigitalCommons@jefferson.edu](mailto:JeffersonDigitalCommons@jefferson.edu).

## **SI/CTR Abstract**

### **Effects of Corneal Transplant on Rates of Retinal Detachment**

**Daniel S. MacKinnon, Zeba A. Syed, MD\*, Durga Borkar, MD, Hannah Levin.**

**Introduction:** Corneal transplant remains the gold standard treatment for irreversible corneal damage. The purpose of this study is to evaluate retinal detachment rates and clinical outcomes after penetrating keratoplasty (PK) and endothelial keratoplasty (EK). We hypothesized that corneal transplants would increase the rate of RD.

**Methods:** This retrospective cohort study utilized corneal transplant data from all surgical visits from PK or EK between April 1, 2012 and August 31, 2018. Individual charts were reviewed from patients who had a subsequent retinal detachment. Incidence of retinal detachment following PK or EK was the main outcome measured.

**Results:** A total of 1,676 PKs and 2,292 EKs were performed for 3,069 patients during the study period. Fifty-four cases of retinal detachment occurred during the study period; forty-two cases occurred after PK and twelve cases occurred after EK. The rate of retinal detachment after EK (11 of 2,292; 0.5%) was significantly lower than that after PK (43 of 1,676; 2.6%) ( $p = 0.01$ ). Additionally, the odds of developing retinal detachment after PK or EK performed in conjunction with anterior or pars plana vitrectomy were significantly higher than after either PK or EK alone (OR: 8.66; 95% CI: 2.98-25.18;  $p < 0.001$ ).

**Discussion:** Overall rates of retinal detachment for individuals receiving either PK or EK were low. Rates of retinal detachment were significantly lower for EK compared to PK. These results support our hypothesis and can help patients make informed decisions on their surgical options and associated risks.