

10-16-2020

## New Normal for Medical Practice Post COVID-19?

David B. Nash  
*Thomas Jefferson University*

Follow this and additional works at: <https://jdc.jefferson.edu/healthpolicyfaculty>



Part of the [Infectious Disease Commons](#), and the [Public Health Commons](#)

[Let us know how access to this document benefits you](#)

---

### Recommended Citation

Nash, David B., "New Normal for Medical Practice Post COVID-19?" (2020). *College of Population Health Faculty Papers*. Paper 106.  
<https://jdc.jefferson.edu/healthpolicyfaculty/106>

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in College of Population Health Faculty Papers by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: [JeffersonDigitalCommons@jefferson.edu](mailto:JeffersonDigitalCommons@jefferson.edu).

## New Normal for Medical Practice Post COVID-19?

David B. Nash, MD, MBA

**A**S I WRITE, the United States has been held captive for the better part of a year. Across the nation, COVID-19 has spawned fear, anxiety, disruption, and tragedy. It also has forced professionals in every sector to confront new realities and reassess the ways in which they attend to “business as usual.”

The traditional “art” of medicine relies heavily on face-to-face contact - close visual inspection, touch/palpation, picking up on a wide range of sensory and behavioral diagnostic clues. However, the critical need for social distancing to reduce the spread of COVID-19 has accelerated an inevitable shift from in-person to virtual communication. One positive consequence of this is that it forces us to take a hard look at the way we practice medicine.

Already an accepted mode of health care delivery in the United States, there is convincing evidence that telehealth is efficient, effective, and beneficial for specific uses and patient populations.<sup>1</sup> This supplement focuses on one such population.

A substantial population of women with symptoms of vaginitis make up to 10 million outpatient visits per year<sup>2</sup> with associated costs approaching \$1.3 billion.<sup>3</sup> The current standard of care calls for a visual examination of external and internal structures as well as vaginal secretions, a “whiff test” to detect distinctive odors associated with specific infections, and on-site pH and wet mount diagnostic tests. A bimanual exam is also recommended.

There are several common causes of vaginitis, and differential diagnosis is challenging even under “normal” conditions. The literature suggests that a large percentage of patients do not receive an optimal diagnostic evaluation. The expected shift from in-person to virtual outpatient visits likely will further complicate the diagnostic dilemma.

To me, the implications are clear: it is time to reconsider how best to approach care for this patient population under “the new normal” conditions. There is an obvious synergy between telehealth visits and state-of-the-art molecular technology that can be leveraged to improve the efficiency and accuracy of care we provide to women with vaginitis.

I hope that, in addition to drawing needed attention to an important population health issue, this supplement leads clinicians, professional organizations, payers, and policy makers to revisit “business as usual” with an eye toward optimizing health care now and into the future.

### References

1. Agency for Healthcare Research and Quality. The evidence base for telehealth: reassurance in the face of rapid expansion during the COVID-19 pandemic. <https://effectivehealthcare.ahrq.gov/sites/default/files/pdf/telehealth-commentary-white-paper.pdf>
2. Granato P. Vaginitis: clinical and laboratory aspects for diagnosis. *Clin Microbiol Newsl* 2010;32:111–116.
3. Peebles K, Volloza J, Balkus J, McClelland RS, Barnabas R. High global burden and costs of bacterial vaginitis: a systemic review and meta-analysis. *Sex Transm Dis* 2019;45:304–311.

Address correspondence to:  
*David B. Nash, MD, MBA*  
*Jefferson College of Population Health*  
*901 Walnut Street, 10th Floor*  
*Philadelphia, PA 19107*  
*USA*

*E-mail:* david.nash@jefferson.edu