

4-1-2021

Bundled Payment Models in Spine Surgery.

Kevin Hines

Nikolaos Mouchtouris

Charles Getz

Glenn Gonzalez

Thiago Montenegro

See next page for additional authors

Follow this and additional works at: <https://jdc.jefferson.edu/neurosurgeryfp>



Part of the [Neurology Commons](#), and the [Surgery Commons](#)

[Let us know how access to this document benefits you](#)

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Department of Neurosurgery Faculty Papers by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: JeffersonDigitalCommons@jefferson.edu.

Authors

Kevin Hines, Nikolaos Mouchtouris, Charles Getz, Glenn Gonzalez, Thiago Montenegro, Adam Leibold, and James Harrop

Bundled Payment Models in Spine Surgery

Kevin Hines, MD¹ , Nikolaos Mouchtouris, MD¹ , Charles Getz, MD², Glenn Gonzalez, MD¹, Thiago Montenegro, MD¹, Adam Leibold, MD, MSc¹, and James Harrop, MD¹

Global Spine Journal
2021, Vol. 11(1S) 7S-13S
© The Author(s) 2021
Article reuse guidelines:
sagepub.com/journals-permissions
DOI: 10.1177/2192568220974977
journals.sagepub.com/home/gsj



Abstract

Study Design: The following is a narrative discussion of bundled payments in spine surgery.

Objective: The cost of healthcare in the United States has continued to increase. To lower the cost of healthcare, reimbursement models are being investigated as potential cost saving interventions by driving incentives and quality improvement in fields such as a spine surgery.

Methods: Narrative overview of literature pertaining to bundled payments in spine surgery synthesizing findings from computerized databases and authoritative texts.

Results: Spine surgery is challenging to define payment modes because of high cost variability and surgical decision-making nuances. While implementing bundled care payments in spine surgery, it is important to understand concepts such as value-based purchasing, episodes of care, prospective versus retrospective payment models, one versus two-sided risk, risk adjustment, and outlier protection. Strategies for implementation underscore the importance of risk stratification and modeling, adoption of evidence based clinical pathways, and data collection and dissemination. While bundled care models have been successfully implemented, challenges facing institutions adopting bundled care payment models include financial stressors during adoption of the model, distribution of risks, incentivization of treating only low risk patients, and nuanced variation in procedures leading to variation in costs.

Conclusion: An alternative for fee for service payments, bundled care payments may lead to higher cost savings and surgeon accountability in a patient's care.

Keywords

bundled payment, quality improvement, spine surgery, episode of care, cost savings

Introduction

The cost of healthcare in the United State as measured by the percentage of the Gross Domestic Product spent has consistently grown since the early 1960's.^{1,2} Recently observed contributing factors of this growth include aging populations and work forces, advances in medical technology, income growth, and increases in population coverage.³ As a result, pressure is mounting to reform the system to deliver better care for a lower cost. The fee for service model of payment, which was the traditional payment model, rewarded doctors on a volume of work basis. While volume-based payments were once the standard for healthcare in the United States, there is growing concern surrounding the sustainability of growing healthcare costs. Furthermore, there is little evidence that the high cost of healthcare in the US delivers high value compared to other modern

industrial countries.^{4,5} Bundled payment models shift payment from volume to value in an effort to slow costs and improve quality of care. In general, bundled payment models have shown success during implementation in countries such as the United States, Taiwan, Denmark, England, Netherlands, New Zealand, Portugal, and Sweden. Of 32 studies evaluating

¹ Department of Neurosurgery, Thomas Jefferson University and Jefferson Hospital for Neuroscience, Philadelphia, PA, USA

² Department of Orthopedic Surgery, Rothman Institute, Philadelphia, PA, USA

Corresponding Author:

James Harrop, Division of Spine and Peripheral Nerve Surgery, Department of Neurological Surgery, Thomas Jefferson University Hospital, 901 Walnut Street 3rd Floor, Philadelphia, PA 19107, USA.
Email: james.harrop@jefferson.edu



medical spending in bundled payments, 20 showed cost-saving with varying effects. In addition, this cheaper care is largely delivered without compromising patient care as only 2 studies showed detrimental effects on quality of care. In fact, 18 of 32 studies showed an improvement in quality of care delivered.⁶

Payments pertaining to a surgical procedures conceptually are easy to create bundled payment models. The characteristics that lend themselves to bundled payments are definable start dates, high volume of procedure, high costs of procedure and related care, and a definable duration of costs related to the procedure. When examining costs associated with inpatient spine procedures, it is apparent that currently there is a wide variation in payments, therefore, payment models for surgery are a potential target for improvement of cost efficiency and resource utilization.⁷ As a result, bundled payments for care spine surgery episodes, rather than discrete interventions (volume based payments) have been proposed as a way to drive quality improvement and outcome based decision making.⁸ Championing the potential benefits of a bundled payment system, joint arthroplasty has served as pilot procedure demonstrating the cost savings in hospitals adopting this system.⁹⁻¹¹

Spine surgery is a high complexity procedure with heterogeneous patient populations and poorly defined outcome measures.¹² When examining Medicare data, costs for patients with lumbar spinal stenosis approaches that of chronic diseases such as diabetes and cardiovascular disease¹³ and have seen 3.3 fold increases over a decade span.¹⁴ As a result, the specialty has also felt the pressure to deliver higher quality care at a lower cost.¹⁵ While the field has worked to advance quality and outcome measurements through development of large outcome databases such as N²QOD, SweSpine, and AO Spine,¹⁶ there is still plenty of room for developments in cost efficiency. Among many other quality improvement interventions, shifting to value-based care will be an important tool for spine surgeons moving forward. We aim to provide insight into the key concepts of bundled payment models for spine surgery, implementation of bundled payments, and barriers to success.

Key Concepts

One of the important drivers of a bundled payment model in spine surgery is the concept of **value-based purchasing**. Value based purchasing (VBP) involves performance-based reimbursement for healthcare. Based on outcome metrics, cost efficiency, or patient satisfaction, the hospital or provider is incentivized to deliver the highest quality care possible.¹⁷ VBP may be divided into 3 main categories: pay for performance, accountable care organization, and bundled payments. Measures used to determine differential payments in bundled models vary depending on the condition be treated or procedures required but may include clinical process, patient safety, readmission, mortality, length of stay, and total cost of care. Some programs may or may not tie physician compensation to the outcome measures, which may either motivate physicians to be cognizant of extra costs involved in care or discourage them from treating more complicated or systemically ill patients.




Figure 1. Variability in spine episodes of care payments.^{12,13}

The measures used to assess the value and quality of care pertain to **episodes of care**. In spinal surgery, an episode is often defined as beginning at the time of index hospitalization and continues for 90 days afterward. During this time, all hospital fees, physician services, home health and outpatient services, post-acute facility services, and even readmissions and treatment related to surgical complications.¹⁸ Prior to initiating bundled repayments for episodes of care, examining claims data from spinal surgery consistently demonstrates alarming variability in payments (Figure 1).^{19,20} These studies found that the upper quintile mean payment more than doubled the mean lower quintile payment for the same episode of care. For example, in Kahn et al, the first quintile mean cost of episodes for spine surgery was \$9814 while the upper quintile was \$52 767. Standardizing repayment for certain episodes of care with bundled repayments would drive cost-conscious utilization and an emphasis on evidence-based practice to improve the value of care delivered to patients.

Among bundled payment models, there are 2 main subtypes: **prospective and retrospective payment models**. Prospective payment models allow a payer to look ahead to an episode of care and provide a single, predetermined payment for the episode. On the other hand, retrospective payments are provided after care is provided, similarly, to fee for service and are adjusted to meet the predetermined bundled rate for all services or treatment of the condition during that time period. Because of the present cost for the episode (prospective) or services (retrospective), both systems motivate providers to save costs when delivering care. The prospective model allows for easier feedback comparing cost of care to predetermined value. However, agreeing upon and facilitating a full payment upfront can be logistically challenging. At times, this may also be less flexible than retrospective bundling should a new diagnosis or unexpected need for a service arise. The retrospective bundling would still allow the providers to address the patients need without fear for repercussions for services not accounted for in the bundle.

In addition to the different types of repayment, there are also different types of risk models associated with bundled payment contracts. In **one-sided risk**, or “no risk” contracts, the provider

is rewarded if the episode of care costs less than the value associated with the diagnosis or condition treatment. In this way the provider is rewarded with part of the episode's cost savings. In *two-sided risk*, or "at-risk" contracts, the provider assumes the risk of the episode of care costing too much. In this way, they can benefit from savings, but will have health revenue penalized if the episode of care costs more than its predetermined value. While most providers prefer one-sided risk contracts, two-sided risk contracts may be more effective in holding providers accountable for cost efficiency.

Finally, as mentioned earlier spine surgery has extremely variable costs associated with a single episode of care. This variability allows the provider to assume a large proportion of risk. As a result, individualized *risk-adjusted* prediction models of payment for spine surgery will become paramount in identifying individuals who are at high risk of having complications post operatively and requiring higher value of care than another patient with a similar diagnosis or surgery.^{20,21} Risk adjustment should not only include patient factors but also the complexity of the surgical pathology, as many similar procedures are frequently bundled together by common procedural code.

Another risk shifted to providers in bundled payments are *outliers*. There are patients with comorbidities or other factors that place them at uncontrollable risk for exceeding the predetermined bundle payment. They can on occasion require an extremely high cost for an episode of care exceeding the 99th percentile of the population.²² If uncontrolled for, providers would be punished for outliers out of their control with disproportional cost. To mitigate this risk, *outlier protection*, or stop-loss insurance may be used. This is a payment approach in which after a predetermined cost threshold is crossed, payers compensate the provider for the fee-for-service of the episode rather than the negotiated bundle price. A summary of key terms is provided in Table 1.

Strategies for Implementation

While the push for bundled healthcare services started in 2011 with the Bundled Payments for Healthcare Initiative (BPCI),²³ spinal surgery has only recently aggressively started incorporating these payment methods into the practice. While it is not standard practice yet, preliminary research has noted increasing use of bundled payments in spine with promising results.²⁴ A survey of 43 spine surgeons showed that bundled care implementation would alter decision making such as more conservative use of allograft rather than autograft, routine neuromonitoring, and rigid post-operative bracing.²⁵ As payment models shift toward bundled payments, it is important to explore strategies that will promote a smooth transition as well as cost efficiency and outcome-based care.

Given spinal surgery's wider variability in costs, procedural nuances, and outcome measures, it is important to lesson from other implementations of bundled spinal surgery to aid in this transition. Without understanding successful model integration BPCI may not lead to decreased episode costs, readmission

Table 1. Key Concepts and Definitions.

| Term | Definition |
|------------------------------|--|
| Value-based purchasing | Performance-based payment strategy linking financial incentives to defined quality and cost measures |
| Episodes of care | A set of services provided to treat a clinical condition or procedure. For spine surgery, defined as index hospitalization until 90 days post procedure. |
| Retrospective payment models | Payer provides individualized payment based on charges for all services provided during an episode of care |
| Prospective payment models | Payer provides a single, pre-determined payment for an episode of care, with no adjustment to care provided for each individual patient |
| One-sided risk | Provider is rewarded for cost-savings during an episode of care, but is not penalized for additional costs |
| Two-sided risk | Provider is rewarded for cost-savings, while also assuming risk for additional costs, conferring penalties for costs above a predetermined value |
| Risk-adjusted payment models | Identifying those patients at high or low risk of complication, based on individual patient factors and procedure, and adjusting payments accordingly |
| Outlier protection | Insurance for providers in which compensation is on a fee-for-service basis for the highest risk patients, after crossing a predetermined cost threshold |

rates, or reoperation rates.²⁶ Other systems have emphasized several principles: risk stratification and modeling, adoption of evidence based clinical pathways, and data collection and dissemination.²⁷

As discussed before, spinal patients demonstrate extreme variations in episode of care cost. Characterizing these patients through diagnosis related groups (DRG) alone is difficult as spinal fusions address varying pathologies with individualized post-operative courses. Within a single DRG, many different combinations of instrumentation, operative levels, grafts, and post operative care may be utilized leading to variations in payments from \$80,000 to \$253,000.²⁸ Alternatively, if hospitals were to reimburse at the same rate for episodes of care related to the procedure spinal fusion, patients requiring fusion for spondylolisthesis have been noted to have lower LOS, lower hospital costs, less chance of being discharged to an inpatient facility than vertebral fractures despite being reimbursed equal amounts for the encounter.²⁹ In addition to properly modeling diagnosis related groups and stratifying the different treatments, it is important to model what individual patient characteristics will contribute to the cost of an episode of care. For instance, recent research has explored drivers of 90-day cost variability in lumbar microdiscectomy, anterior cervical discectomy and fusion for degenerative disease, adult thoracolumbar spine deformity surgery, and elective lumbar




Figure 2. Mean and ranges in cost of episode for common spine procedures.^{22,23,24}

decompression and fusion. Factors consistently associated with variations in episode costs included obesity, length of surgery, number of levels or extent of surgery, surgical complications, readmission, medical comorbidities such as MI or diabetes, and post-hospitalization care.³⁰⁻³³ Figure 2 demonstrates this variability in cost for episodes of care in different procedures. Notably, Bronson et al published their Medicare claims data associated with lumbar fusion after adoption of the BCPI program. They failed to show cost savings using the model. However, the authors note that both case complexity and longer segment fusions had increased in the BCPI group, confounding the comparison with the historical control.³⁴ Despite not demonstrating savings, the BCPI group did have significantly lower LOS and discharge to inpatient facilities without increased readmission rates. In addition to patient factors, surgeon factors may also affect cost variation such as choice of implant. In a recent study, by Oren et al, standardizing implant cost by requiring vendors to meet reference prices, significant cost savings were demonstrated in patients undergoing single level anterior cervical discectomy and fusion.³⁵ Understanding the factors driving variability in spine surgery will be a key in implementing a successful bundle payment system.

Aside from understanding drivers of cost variability and incorporating them into payment models, it is important to establish evidence based clinical pathways (EBCP) or bundled care plan. EBCP include care built in after analysis of high quality, large population data that may be applied to episodes of care in the hopes of decreasing complications, reducing cost variability, and improving outcomes. Examples of such pathways include measures against venous thromboembolism (VTE),³⁶ surgical site infection (SSI),^{37,38} and transfusion management.³⁹ EBCP tend improve outcomes and cost efficiency in patients by reducing modifiable risk factors. The evidence that standardization works to reduce variation in costs and outcomes was adopted from manufacturing concepts popularized by Shewhart and Deming,^{40,41} but have been successful in other surgical EBCP such as knee arthroplasty.⁴²⁻⁴⁴ To implement bundled payment systems, EBCP are essential to reducing cost variability and generating data for smaller, less

experienced institutions to use in the care of spinal surgery patients.

Lastly, to successfully implement a bundled payment spine surgery model, development of infrastructure to collect institutional or system specific data is imperative. While large databases are crucial in developing data driven spine practices that are applicable to specific spinal surgery populations,¹⁶ institutional or network specific database collection and distribution are paramount to ensuring success in a bundled payment model for spine surgery. This is because after each episode of care, the stakeholders involved in the care of a patient may compare the costs accumulated to the projected cost or contract of the episode. As this data accumulates, spinal surgeons will have the opportunity to review their cost efficiency, complications, and compare complications such as VTE, SSI, or reoperation to particular episode of care's projections. As seen in other surgical fields such as orthopedics, this educates surgeons on cost and benefit of certain measures with regard to their individualized practices.⁴⁵

As institutional data on risk stratification, modifiable risk factors, and EBCP accumulates in spinal surgery, surgeons will be able to identify individual practices that do not mitigate risk nor add patient benefit while still generating cost. These practices are non-value-added care and should be identified so they may be avoided or reduced. This will improve implementation of bundled payment model in spinal surgery.

Challenges

While bundled repayment models have upside in provider accountability, cost efficiency, and standardization of care there are large hurdles for implementation of this system in spinal surgery.

Generally considered a costly intervention, bundled repayment models may strain healthcare systems financially while the process of repayment is optimized and better defined. In a prospective payment model, a single entity receives the payment and must delay payment to all stakeholders until the cost of the episode of care has been determined. Alternatively, providers in a retrospective model will not obtain full payment for services until the episode is completed and final associated cost is determined.

Given that these systems couple large financial risk with surgeons and add delayed reimbursement to the uncertainty may make delivering consistent care difficult. Outcome metrics are not well defined and metrics in chronic back pain patients such as patient satisfaction may play an unfair role in determining the quality of a surgeon's work. In addition to timing and quality assessment, ensuring accuracy of insurance billing will be a large concern in spinal surgery. For a surgical specialty with nuances altering indication, surgical approach, number of levels, and outcome, it will require provider vigilance and resources to ensure that payments applied to episodes of care account for individualized risk and post-operative course.

In addition to payment allocation, a large concern with transitioning to bundle payment models includes modifying spine

surgeons' incentives. In some models, researchers found that variability in cost was associated with post-acute care factors rather than surgeon controlled variables.¹⁹ Such associations may motivate surgeons to select patients by pathology or anticipated disposition rather than evidence-based indication. Until payment models are optimized, there is concern that these models will financially compel surgeons to preferentially operate on low risk, healthier patients and avoid pathology associated with higher costs of episodes of care.²⁹ In addition, advanced techniques with only marginal improvement in outcomes may be avoided given associations with increased cost or length of surgery,⁴⁶ this may lower costs in the near term but could stifle innovation.

Bundle payment models in spinal surgery offer an alternative to fee-for service payments and may have potential benefits for healthcare in the United States. Bundled care makes spinal surgeons accountable for not only outcome, but also episode cost efficiency and limitation of complications. While this approach is not novel, it has not been fully implemented yet in the United States. Despite success in arthroplasty, spinal surgery has yet to demonstrate clear benefit of bundled payments in spine surgery the United States. Of 3 studies evaluating costs savings for episodes of care associated with spinal surgery, none demonstrated cost reduction.^{26,34,47} In addition, it is important to note that it is difficult to evaluate the effect lowering perioperative cost on the context of overall health care spending. To optimize this payment method, stringent risk stratification, development of evidence-based pathways, and dissemination of detailed outcome-based data must be implemented. In addition, hospital systems must evaluate risk allocation as repayment models are defined to avoid financially incentivizing spinal surgeons to select for only healthy patient with low risk pathology. While bundled care payment models have not been clearly successfully implemented in spine surgery in the United States, they warrant further investigation given the success in cost reduction of bundled payments in other specialties and countries.

Authors' Note

The authors conducted a literature review with the goal of writing a narrative review of bundled payment models in spine surgery. The objectives were to provide readers with key definitions to understand bundled payment models, outline strategies for success implementing such a payment model, and defining challenges to implementing such a system in spine surgery. Using PubMed, a literature review of articles pertaining to episodes of care, bundled payments, and drivers of cost variability in spine surgery were reviewed. In review of the literature, bundled payment models offer potential cost savings and quality improvement incentives in spine surgery. However, successfully implementing these models will be challenging given the variability and nuance inherent in spine diagnosis, pathology, and surgical techniques.


Declaration of Conflicting Interests


The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Funding

The author(s) disclosed receipt of the following financial support for the research, authorship, and/or publication of this article: This supplement was supported by a grant from AO Spine North America.

ORCID iD

Kevin Hines, MD  <https://orcid.org/0000-0003-1700-174X>

Nikolaos Mouchtouris, MD  <https://orcid.org/0000-0001-9495-9391>

Resources

1. Moses H, Matheson DHM, Dorsey ER, George BP, Sadoff D, Yoshimura S. The anatomy of health care in the United States. *JAMA*. 2013;310(18):1947-1963. doi:10.1001/jama.2013.281425
2. Papanicolas I, Woskie LR, Jha AK. Health care spending in the United States and other high-income countries. *JAMA*. 2018; 319(10):1024-1039. doi:10.1001/jama.2018.1150
3. Stadhouders N, Kruse F, Tanke M, Koolman X, Jeurissen P. Effective healthcare cost-containment policies: a systematic review. *Health Policy Amst Neth*. 2019;123(1):71-79. doi:10.1016/j.healthpol.2018.10.015
4. Rosen BS, Maddox PJ, Ray N. A position paper on how cost and quality reforms are changing healthcare in America: focus on nutrition. *JPEN J Parenter Enteral Nutr*. 2013;37(6):796-801. doi:10.1177/0148607113492337
5. Beller GA. The United States has lower life expectancy than other developed nations, despite having highest health care costs. *J Nucl Cardiol: Off Publ Am Soc Nucl Cardiol*. 2013;20(2): 177-178. doi:10.1007/s12350-013-9692-4
6. Struijs J, de Vries E, Baan C, van Gils P, Rosenthal M. Bundled-payment models around the world: how they work and what their impact has been [published online April 6, 2020]. *Commonw Fund*. 2020. doi:10.26099/936s-0y65
7. Miller DC, Gust C, Dimick JB, Birkmeyer N, Skinner J, Birkmeyer JD. Large variations in Medicare payments for surgery highlight savings potential from bundled payment programs. *Health Aff Proj Hope*. 2011;30(11):2107-2115. doi:10.1377/hlthaff.2011.0783
8. Porter ME. Value-based health care delivery. *Trans Meet Am Surg Assoc*. 2008;126:144-150. doi:10.1097/SLA.0b013e31818a43af
9. Navathe AS, Troxel AB, Liao JM, et al. Cost of joint replacement using bundled payment models. *JAMA Intern Med*. 2017;177(2): 214-222. doi:10.1001/jamainternmed.2016.8263
10. Siddiqi A, White PB, Mistry JB, et al. Effect of bundled payments and health care reform as alternative payment models in total joint arthroplasty: a clinical review. *J Arthroplasty*. 2017;32(8): 2590-2597. doi:10.1016/j.arth.2017.03.027
11. Barnett ML, Wilcock A, McWilliams JM, et al. Two-year evaluation of mandatory bundled payments for joint replacement. *N Engl J Med*. 2019;380(3):252-262. doi:10.1056/NEJMsa1809010
12. Bennett C, Xiong G, Hu S, Wood K, Kamal RN. What is the state of quality measurement in spine surgery? *Clin Orthop*. 2018; 476(4):725-731. doi:10.1007/s11999.0000000000000074
13. Chen E, Tong KB, Laouri M. Surgical treatment patterns among Medicare beneficiaries newly diagnosed with lumbar spinal stenosis. *Spine J*. 2010;10(7):588-594. doi:10.1016/j.spinee.2010.02.026

14. Rajae SS, Bae HW, Kanim LEA, Delamarter RB. Spinal fusion in the United States: analysis of trends from 1998 to 2008. *Spine*. 2012;37(1):67-76. doi:10.1097/BRS.0b013e31820cccfb
15. Hines K, Mouchtouris N, Knightly JJ, Harrop J. A brief history of quality improvement in health care and spinal surgery. *Glob Spine J*. 2020;10(1 Suppl):5S-9S. doi:10.1177/2192568219853529
16. McGirt MJ, Parker SL, Asher AL, Norvell D, Sherry N, Devin CJ. Role of prospective registries in defining the value and effectiveness of spine care. *Spine*. 2014;39(22 Suppl 1):S117-S128. doi:10.1097/BRS.0000000000000552
17. Damberg CL, Sorbero ME, Lovejoy SL, Martsolf GR, Raaen L, Mandel D. Measuring success in health care value-based purchasing programs: findings from an environmental scan, literature review, and expert panel discussions. *Rand Health Q*. 2014;4(3):9.
18. Joynt Maddox KE, Orav EJ, Zheng J, Epstein AM. Evaluation of Medicare's bundled payments initiative for medical conditions. *N Engl J Med*. 2018;379(3):260-269. doi:10.1056/NEJMsa1801569
19. Kahn EN, Ellimoottil C, Dupree JM, Park P, Ryan AM. Variation in payments for spine surgery episodes of care: implications for episode-based bundled payment. *J Neurosurg Spine*. 2018;29(2):214-219. doi:10.3171/2017.12.SPINE17674
20. Schoenfeld AJ, Harris MB, Liu H, Birkmeyer JD. Variations in Medicare payments for episodes of spine surgery. *Spine J Off J North Am Spine Soc*. 2014;14(12):2793-2798. doi:10.1016/j.spinee.2014.07.002
21. Dietz N, Sharma M, Alhourani A, et al. Bundled payment models in spine surgery: current challenges and opportunities, a systematic review. *World Neurosurg*. 2019;123:177-183. doi:10.1016/j.wneu.2018.12.001
22. BPCI Advanced. CMS.gov. Published January 16, 2020. Accessed March 30, 2020. <https://innovation.cms.gov/innovation-models/bpci-advanced>
23. Hardin L, Kilian A, Murphy E. Bundled payments for care improvement. *J Nurs Adm*. 2017;47(6):313-319. doi:10.1097/NNA.0000000000000492
24. Kazberouk A, McGuire K, Landon BE. A survey of innovative reimbursement models in spine care. *Spine*. 2016;41(4):344-352. doi:10.1097/BRS.0000000000001212
25. Mok JM, Martinez M, Smith HE, et al. Impact of a bundled payment system on resource utilization during spine surgery. *Int J Spine Surg*. 2016;10:19. doi:10.14444/3019
26. Martin BI, Lurie JD, Farrokhi FR, McGuire KJ, Mirza SK. Early effects of Medicare's bundled payment for care improvement program for lumbar fusion. *Spine*. 2018;43(10):705-711. doi:10.1097/BRS.0000000000002404
27. Bosco JA, Harty JH, Iorio R. Bundled payment arrangements: keys to success. *J Am Acad Orthop Surg*. 2018;26(23):817-822. doi:10.5435/JAAOS-D-17-00022
28. Ugiliweneza B, Kong M, Nosova K, et al. Spinal surgery: variations in health care costs and implications for episode-based bundled payments. *Spine*. 2014;39(15):1235-1242. doi:10.1097/BRS.0000000000000378
29. Yee P, Tanenbaum JE, Pelle DW, et al. DRG-based bundled reimbursement for lumbar fusion: implications for patient selection. *J Neurosurg Spine*. 2019:1-6. Published online June 28, 2019, doi:10.3171/2019.3.SPINE18875
30. Stephens BF, Khan I, Chotai S, Sivaganesan A, Devin CJ. Drivers of cost in adult thoracolumbar spine deformity surgery. *World Neurosurg*. 2018;118:e206-e211. doi:10.1016/j.wneu.2018.06.155
31. Chotai S, Sivaganesan A, Parker SL, et al. Drivers of variability in 90-day cost for primary single-level microdiscectomy. *Neurosurgery*. 2018;83(6):1153-1160. doi:10.1093/neuros/nyy209
32. Chotai S, Sivaganesan A, Parker SL, Sielatycki JA, McGirt MJ, Devin CJ. Drivers of variability in 90-day cost for elective anterior cervical discectomy and fusion for cervical degenerative disease. *Neurosurgery*. 2018;83(5):898-904. doi:10.1093/neuros/nyy140
33. Sivaganesan A, Chotai S, Parker SL, McGirt MJ, Devin CJ. Drivers of variability in 90-day cost for elective laminectomy and fusion for lumbar degenerative disease. *Neurosurgery*. 2019;84(5):1043-1049. doi:10.1093/neuros/nyy264
34. Bronson WH, Kingery MT, Hutzler L, et al. Lack of cost savings for lumbar spine fusions after bundled payments for care improvement initiative: a consequence of increased case complexity. *Spine*. 2019;44(4):298-304. doi:10.1097/BRS.0000000000002812
35. Oren J, Hutzler LH, Hunter T, Errico T, Zuckerman J, Bosco J. Decreasing spine implant costs and inter-physician cost variation: the impact of programme of cost containment on implant expenditure in spinal surgery. *Bone Jt J*. 2015;97-B(8):1102-1105. doi:10.1302/0301-620X.97B8.35333
36. Khan NR, Patel PG, Sharpe JP, Lee SL, Sorenson J. Chemical venous thromboembolism prophylaxis in neurosurgical patients: an updated systematic review and meta-analysis. *J Neurosurg*. 2018;129(4):906-915. doi:10.3171/2017.2.JNS162040
37. Bagga RS, Shetty AP, Sharma V, Vijayanand KSS, Kanna RM, Rajasekaran S. Does preventive care bundle have an impact on surgical site infections following spine surgery? An analysis of 9607 patients. *Spine Deform*. 2020;8(4):677-684. doi:10.1007/s43390-020-00099-0
38. Yamada K, Abe H, Higashikawa A, et al. Evidence-based care bundles for preventing surgical site infections in spinal instrumentation surgery. *Spine*. 2018;43(24):1765-1773. doi:10.1097/BRS.0000000000002709
39. Alfonso AR, Hutzler L, Lajam C, Bosco J, Goldstein J. Institution-wide blood management protocol reduces transfusion rates following spine surgery. *Int J Spine Surg*. 2019;13(3):270-274. doi:10.14444/6036
40. Best M, Neuhauser D. W Edwards Deming: father of quality management, patient and composer. *Qual Saf Health Care*. 2005;14(4):310-312. doi:10.1136/qshc.2005.015289
41. Best M, Neuhauser D. Walter A Shewhart, 1924, and the Hawthorne factory. *Qual Saf Health Care*. 2006;15(2):142-143. doi:10.1136/qshc.2006.018093
42. Froemke CC, Wang L, DeHart ML, Williamson RK, Ko LM, Duwelijs PJ. Standardizing care and improving quality under a bundled payment initiative for total joint arthroplasty. *J Arthroplasty*. 2015;30(10):1676-1682. doi:10.1016/j.arth.2015.04.028
43. Featherall J, Brigati DP, Faour M, Messner W, Higuera CA. Implementation of a total hip arthroplasty care pathway at a high-volume health system: effect on length of stay, discharge

- disposition, and 90-day complications. *J Arthroplasty*. 2018; 33(6):1675-1680. doi:10.1016/j.arth.2018.01.038
44. Featherall J, Brigati DP, Arney AN, et al. Effects of a total knee arthroplasty care pathway on cost, quality, and patient experience: toward measuring the triple aim. *J Arthroplasty*. 2019;34(11): 2561-2568. doi:10.1016/j.arth.2019.06.011
45. Doran JP, Beyer AH, Bosco J, et al. Implementation of bundled payment initiatives for total joint arthroplasty: decreasing cost and increasing quality. *Instr Course Lect*. 2016;65: 555-566.
46. Calsyn M, Emanuel EJ. Controlling costs by expanding the Medicare acute care episode demonstration. *JAMA Intern Med*. 2014; 174(9):1438-1439. doi:10.1001/jamainternmed.2014.2981
47. Jubelt LE, Goldfeld KS, Blecker SB, et al. Early lessons on bundled payment at an academic medical center. *J Am Acad Orthop Surg*. 2017;25(9):654-663. doi:10.5435/JAAOS-D-16-00626