

7-21-2022

Understanding the Role of Sex on Outcomes for the Cancer Patient Undergoing Treatment with Immune Checkpoint Inhibitors: a Scoping Review Protocol

Amy L Shaver
Thomas Jefferson University

Nikita Nikita
Thomas Jefferson University

Swapnil Sharma
Thomas Jefferson University

Daniel S Lefler
Thomas Jefferson University

Follow this and additional works at: <https://jdc.jefferson.edu/medoncfp>

Atrayee Basu-Mallick

 Thomas Jefferson University
Part of the Oncology Commons

[Let us know how access to this document benefits you](#)

See next page for additional authors

Recommended Citation

Shaver, Amy L; Nikita, Nikita; Sharma, Swapnil; Lefler, Daniel S; Basu-Mallick, Atrayee; Johnson, Jennifer M; Butryn, Meghan L; and Lu-Yao, Grace, "Understanding the Role of Sex on Outcomes for the Cancer Patient Undergoing Treatment with Immune Checkpoint Inhibitors: a Scoping Review Protocol" (2022).

Department of Medical Oncology Faculty Papers. Paper 195.

<https://jdc.jefferson.edu/medoncfp/195>

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Department of Medical Oncology Faculty Papers by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: JeffersonDigitalCommons@jefferson.edu.

Authors

Amy L Shaver, Nikita Nikita, Swapnil Sharma, Daniel S Lefler, Atrayee Basu-Mallick, Jennifer M Johnson, Meghan L Butryn, and Grace Lu-Yao

BMJ Open Understanding the role of sex on outcomes for the cancer patient undergoing treatment with immune checkpoint inhibitors: a scoping review protocol

Amy L Shaver ¹, Nikita Nikita,¹ Swapnil Sharma,¹ Daniel S Lefler,¹ Artrayee Basu-Mallick,¹ Jennifer M Johnson,¹ Meghan L Butryn,² Grace Lu-Yao^{1,3}

To cite: Shaver AL, Nikita N, Sharma S, *et al.* Understanding the role of sex on outcomes for the cancer patient undergoing treatment with immune checkpoint inhibitors: a scoping review protocol. *BMJ Open* 2022;**12**:e059782. doi:10.1136/bmjopen-2021-059782

► Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2021-059782>).

Received 30 November 2021
Accepted 30 June 2022



© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY. Published by BMJ.

¹Department of Medical Oncology, Thomas Jefferson University - Sidney Kimmel Medical College, Philadelphia, Pennsylvania, USA
²Department of Psychology, Drexel University, Philadelphia, Pennsylvania, USA
³Jefferson College of Population Health, Philadelphia, Pennsylvania, USA

Correspondence to

Dr Grace Lu-Yao;
Grace.LuYao@Jefferson.edu

ABSTRACT

Introduction Immune checkpoint inhibitors (ICIs) have changed the treatment landscape for multiple cancer types. Sex plays an important role in both the development of cancer as well as the functioning of the immune system. Though a difference in response to immune therapy is emerging between men and women it is unclear how this difference affects cancer outcomes and what the potential underlying mechanisms are for those effects. The objective of this study is to describe the influence that sex has on the outcomes experienced by cancer patients on ICI therapy and to identify and analyse any knowledge gaps in the field.

Method and analysis The framework for this methodology was guided by the Joanna Briggs Institute Manual for Evidence Synthesis. The search and review will be conducted from January 2022 to June 2022. Two independent researchers will screen titles and abstracts followed by full-text screening for manuscript inclusion. Full length studies published between 2010 and December 2021 found in PubMed, Cochrane, CINAHL, and Scopus describing the influence of sex differences on cancer outcomes in patients treated with ICIs will be included. After data are extracted it will be summarised for presentation.

Ethics and dissemination The findings of this scoping review will be published in a peer-reviewed journal. The results will be used to inform future studies on the potential differential impacts of ICIs. All data are from published openly accessible sources and therefore no ethical clearance is necessary.

INTRODUCTION

Immune checkpoint inhibitors (ICIs) have demonstrated clinical efficacy in several solid tumour types.¹ Furthermore, the role of ICIs is going to be investigated in the neoadjuvant, adjuvant and definitive settings in ongoing clinical trials making it not only important to understand how to improve patient's abilities to respond to treatment as it expands its role in multiple cancer types.

STRENGTHS AND LIMITATIONS OF THIS STUDY

- ⇒ Multidisciplinary team used during the planning and design.
- ⇒ Multiple databases used to source literature.
- ⇒ No formal quantitative synthesis completed without sufficient data.

Sex effects both the innate and adaptive immune system responses, however less than 10% of all immunology-related studies consider sex while reporting results.^{2,3} Sex hormones have been shown to influence immune system functioning. Among patients with autoimmune diseases medications used to suppress immune response were more efficacious in men than women while medications to stimulate response are more efficacious in women.⁴ Sex plays an important role in the pathogenesis and prognosis of several cancer types. For a vast majority of cancer types, men have a higher predisposition of developing cancer than women. Specifically, men have a twofold higher risk of mortality from all malignant cancer types than women (after excluding sex-specific cancers such as breast and prostate).⁵ Women are under-represented in randomised clinical trials (RCTs) for immunotherapies. In a meta-analysis of phase II and III immunotherapy, RCTs observed improvement in overall survival and progression free survival for both men and women, but the benefit was much larger among men than in women.⁶⁻⁸ ICIs depend on antigen presentation occurring. However, women sometimes have a lower tumour mutation burden.⁹ Another study discovered that in female antigens are not as frequently presented to the immune system by the major histocompatibility complex.¹⁰

Altogether, this may explain why ICIs become less effective.¹¹ Since evidence suggests that men and women respond differently to therapies, it is important to explore these differences to redefine clinical decision making and improve outcomes for all patients with cancer. A first step of that discovery is through an examination of the current evidence.

The purpose of this scoping review is to describe the influence that sex has on the outcomes experienced by patients with cancer on ICI therapy and to identify and analyse any knowledge gaps in the field.

METHODS

Protocol design

This scoping review will be conducted according to the Joanna Briggs Institute methodology for scoping reviews which is based predominately on the protocols established by Arksey and O'Malley but includes the revisions suggested by Levac *et al* and Peters *et al*.¹²⁻¹⁶ The review will follow six steps including: (1) defining the research question, (2) identifying relevant studies, (3) study selection, (4) charting the data, (5) collating, summarising, and reporting the results, and (6) consultation. Reporting of findings will be conducted according to Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines using the PRISMA extension for scoping reviews (PRISMA-ScR) checklist.¹⁷

Stage 1: identifying the research question

The central research question for this review is: what influence does sex play on the outcomes experienced by patients with cancer on immune checkpoint inhibitor therapy? Outcomes are being left purposefully vague so as to capture as much information as possible. All outcome data will then be categorised later in the 'collating, summarising and reporting' stage. Also to be examined is whether the ICI therapy is monotherapy, dual therapy or combination with other therapies.

Stage 2: identifying relevant studies, search strategy

The search strategy for this review is the result of prior research in the adjacent fields of prostate cancer, lung cancer, and immunotherapy as well as the strategies recommended by Tawfik *et al* for adapting searches according to database.¹⁸ An experienced search librarian was also consulted. We will conduct a search of PubMed, CINAHL, Cochrane Library and Scopus.

We will conduct a search using the following keywords: cancer, "neoplasms", "immune checkpoint inhibitors", "sex", "sex factors", and associated mesh terms. These terms will be combined with the Boolean operators "AND" and "OR".

The initial search will be in PubMed. A similar search will be used for Cochrane which also uses MeSH terms. Only key words will be used for SCOPUS. CINAHL uses Subject terms in lieu of MeSH terms.

The search string for the PubMed database is as follows: cancer* OR ("Neoplasms"[Mesh])

AND

"Sex"[MeSH Terms] OR "Sex Characteristics"[MeSH Terms] OR "Sex Factors"[MeSH Terms] OR "Male"[MeSH Terms] OR "Female"[MeSH Terms] OR "sex-related" OR "gender-related" OR "sex differences"

AND

"Immune checkpoint inhibitor" OR "anti-PD-1" OR "anti-CTLA-4" OR "anti-PD-L1" OR "Immune checkpoint blockade" OR "REGN2810" OR "Cemiplimab" OR "BMS-936559" OR "MSB0010718C" OR "avelumab" OR "MEDI4736" OR "durvalumab" OR "MPDL3280A" OR "atezolizumab" OR "MK-3475" OR "pembrolizumab" OR "BMS-936558" OR "nivolumab"

Stage 3: study selection

Inclusion criteria

Types of participants

This scoping review will only include adult patients aged 18 years or older being treated with ICIs for those cancers for which the Food and Drug Administration has approved the use of ICIs as treatment as of December 2020.

Concept

The review will focus on peer-reviewed publications that seek to clarify the influence of sex on the outcomes of ICIs.

Context

The review will include both institutional and community care settings.

Types of sources

All peer-reviewed publications published since 2010 through December 2021.

Exclusion criteria

The search will be restricted to articles and reports published in English.

Opinion pieces.

Letters to the editor.

Studies identified by these terms which satisfy the inclusion criteria will be considered for the initial title and abstract screening. The search string will be adapted for other databases as required. The reference lists of all included articles will be searched for additional studies. As required by good practice, the completed strings for each database will be included in the published scoping review.

If further information is required, we will contact authors of the publications as appropriate.

The research team will use Endnote V.X9 software for managing imported references and removing duplications. The title, abstracts and keywords for all articles will be screened by two independent reviewers from the research team to determine whether they satisfy the inclusion criteria, see Inclusion Assessment Form, online supplemental material. Each article will be considered by at least two researchers for inclusion and any discrepancies will be discussed.

Articles satisfying the initial screen will undergo full text screening by two independent researchers from the research team. An important part of full-text screening is to discern the inclusion of sex comparison, which may only occur through covariate inclusion but still offer comparison between the sexes. Disagreements of study eligibility will be resolved through discussion with a senior member of the research team.

Stage 4: charting the data

Extraction of the results

Three members of the research team will participate in the data extraction process. From each article, the following information will be extracted: author, year of publication, title, ICI, study type/design, study population, primary objective(s) and outcome(s)/summary, see Extraction Charting Form, online supplemental material.

Patient and public involvement

This research will be done without patient involvement. Patients are neither invited to comment on the study design nor consulted to develop patient-relevant outcomes nor to interpret nor disseminate the results. Sex differences in cancer outcomes are known to be important to patients. Any future studies deriving from this work will include patient involvement to help to ensure that, from a patient's perspective, the outcomes are relevant.

Stage 5: collating, summarising and reporting

Presentation of our results

Our search results will be presented in a PRISMA flow-chart and an appended PRISMA-ScR checklist. The extracted data will be presented under the following headings: author, year of publication, study type, study population, primary objective(s) and outcome(s).

A full summary of evidence including an overview of concepts and types of evidence available as well as a discussion of limitations and our conclusions will follow. Analyses of mono and combination therapies will be conducted separately when possible. We will identify gaps in the literature and highlight the implications for future research.

Stage 6: consultation

We have purposefully included researchers from multiple disciplines in our group (pharmacy, medicine and epidemiology). The diversity of the group brings fresh views and broad experiences to the analysis of the literature. At the end of the study, a final consultation will take place so the results of the study can have the context of clinical practice knowledge.

Ethics and dissemination

The scoping review as indicated earlier is based on openly accessible published material and is therefore not subject to an ethical review board. The findings of this scoping review will be published in a peer-reviewed journal. The results will be used to inform future studies on the potential differential impacts of ICIs.

Contributors Study concept and design: ALS, NN, SS, DSL, AB-M, JMJ, MLB and GL-Y. Protocol writing and review: ALS, NN and GL-Y.

Funding This work was supported, in part, by the NCI Cancer Center Support Grant 5P30CA056036.

Competing interests None declared.

Patient and public involvement Patients and/or the public were not involved in the design, or conduct, or reporting, or dissemination plans of this research.

Patient consent for publication Not applicable.

Provenance and peer review Not commissioned; externally peer reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution 4.0 Unported (CC BY 4.0) license, which permits others to copy, redistribute, remix, transform and build upon this work for any purpose, provided the original work is properly cited, a link to the licence is given, and indication of whether changes were made. See: <https://creativecommons.org/licenses/by/4.0/>.

ORCID iD

Amy L Shaver <http://orcid.org/0000-0002-0263-8708>

REFERENCES

- 1 Antonia SJ, Villegas A, Daniel D, *et al*. Durvalumab after chemoradiotherapy in stage III non-small-cell lung cancer. *N Engl J Med* 2017;377:1919–29.
- 2 Klein SL, Flanagan KL. Sex differences in immune responses. *Nat Rev Immunol* 2016;16:626–38.
- 3 Beery AK, Zucker I. Sex bias in neuroscience and biomedical research. *Neurosci Biobehav Rev* 2011;35:565–72.
- 4 Klein SL, Morgan R. The impact of sex and gender on immunotherapy outcomes. *Biol Sex Differ* 2020;11:24.
- 5 Cook MB, McGlynn KA, Devesa SS, *et al*. Sex disparities in cancer mortality and survival. *Cancer Epidemiology Biomarkers Prevention* 2011;20:1629–37.
- 6 Botticelli A, Onesti CE, Zizzari I, *et al*. The sexist behaviour of immune checkpoint inhibitors in cancer therapy? *Oncotarget* 2017;8:99336–46.
- 7 Wu Y, Ju Q, Jia K, *et al*. Correlation between sex and efficacy of immune checkpoint inhibitors (PD-1 and CTLA-4 inhibitors). *Int J Cancer* 2018;143:45–51.
- 8 Conforti F, Pala L, Goldhirsch A. Different effectiveness of anticancer immunotherapy in men and women relies on sex-dimorphism of the immune system. *Oncotarget* 2018;9:31167–8.
- 9 Ye Y, Jing Y, Li L, *et al*. Sex-associated molecular differences for cancer immunotherapy. *Nat Commun* 2020;11:1779.
- 10 Castro A, Pyke RM, Zhang X, *et al*. Strength of immune selection in tumors varies with sex and age. *Nat Commun* 2020;11:4128.
- 11 Jang SR, Nikita N, Banks J, *et al*. Association between sex and immune checkpoint inhibitor outcomes for patients with melanoma. *JAMA Netw Open* 2021;4:e2136823.
- 12 Peters MD *et al*. Chapter 11: Scoping reviews. In: *Joanna Briggs Institute reviewer's manual*, 2021: 408–46p..
- 13 Arksey H, O'Malley L. Scoping studies: towards a methodological framework. *Int J Soc Res Methodol* 2005;8:19–32.
- 14 Levac D, Colquhoun H, O'Brien KK. Scoping studies: advancing the methodology. *Implement Sci* 2010;5:69.
- 15 Peters MDJ, Godfrey CM, Khalil H, *et al*. Guidance for conducting systematic scoping reviews. *Int J Evid Based Healthc* 2015;13:141–6.
- 16 Peters MDJ. In no uncertain terms: the importance of a defined objective in scoping reviews. *JBI Database System Rev Implement Rep* 2016;14:1–4.
- 17 Tricco AC, Lillie E, Zarin W, *et al*. PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. *Ann Intern Med* 2018;169:467–73.
- 18 Tawfik GM, Dila KAS, Mohamed MYF, *et al*. A step by step guide for conducting a systematic review and meta-analysis with simulation data. *Trop Med Health* 2019;47:46–7.