

REFERENCES

01/10/11

- Abenhaim L, Lert F. (1991). Methodological issues for the assessment of clusters of adverse pregnancy outcomes in the workplace: The cause of video display terminal users. *J. Occup. Med.* 33, 1091-1096.
- Aeschbacher Hu, Milon H, Poot A, Wurzner HP. (1980). Effect of caffeine on rat offspring from treated dams. *Toxicol Lett* 7(1):71-77.
- Adén U, Herlenius E, Tang LQ, Fredholm BB. (2000). Maternal caffeine intake has minor effects on adenosine receptor ontogeny in the rat brain. *Pediatr Res.* 48(2):177-83.
- Albina ML, Colomina MT, Sanchez DJ, Torrente M, Domingo JL. (2002). Interactions of caffeine and restraint stress during pregnancy in mice. *Exp Biol Med* 227 (9):779-85.
- Ames BN, Gold LS. (1990). Chemical carcinogenesis: Too many rodent carcinogens. *Proc Natl Acad Sci USA* 87(19):7772-7776.
- Asadifar M, Yazdani M, Sadeghpour R, Bruno C, Green J, Nakamoto AT, Hosseini P, Fahami F, Gottschalk S, Nakamoto T. (2005). Combined effects of caffeine and malnutrition on the newborn rat's myocardium. *Food Chem Toxicol* 43(3):451-456.
- Astrup H. (1993). Transplacental transfer of genotoxins and transplacental carcinogenesis. *Environmental Health Perspect* 101(Suppl 2):33-38.
- Bahi N, Nehlig A, Evrard P, Gressens P. (2001). Caffeine does not affect excitotoxic brain lesions in newborn mice. *Eur J Paediatr Neurol.* 5(4):161-5.
- Bakker R, Steegers EAP, Obradov A, Raat H, Hofman A, Jaddoe VWV. (2010). Maternal caffeine intake from coffee and tea, fetal growth, and the risks of adverse birth outcomes: The Generation R Study. *Am J Clin Nutr* 91:1691-1698.
- Balat O, Balat A, Ugur MG, Peñe S. (2003). The effect of smoking and caffeine on the fetus and placenta in pregnancy. *Clin Exp Obstet Gynecol.* 30(1):57-59.
- Beaulac-Baillargeon L, Desroisiers C. (1987). Caffeine-cigarette interaction on fetal growth. *Am J Obstet Gynecol* 157(5):1236-1240.
- Bech BH, Obel C, Henriksen TB, Olsen J. (2007). Effect of reducing caffeine intake on birth weight and length of gestation: randomised controlled trial. *BMJ* Feb 24;334(7590):409. Epub 2007 Jan 26. (Repeated in Preterm Birth Section)

- Beckman DB, Brent RL. (1986) Mechanism of known environmental teratogens: Drugs and chemicals. In: Brent, R. L. and Beckman, D. A. (eds.), *Clinics in Perinatology*. W. B. Saunders, Philadelphia, Vol.13, pp. 615-648.
- Beckman DB, Fawcett LB, Brent RL. (1997). Developmental Toxicity. In Massaro EJ (ed.). Handbook of Human Toxicology, CRC Press, New York, Chapter 24, pp. 1007-1084.
- Bertrand M, Schwam E, Frandon A, Vagne A, Alary J. (1965). On the systematic and specific teratogenic effect of caffeine in rodents. *C R Soc Biol* 159:2199.
- Bertrand M, Girod J, Riguaud MF. (1970). Ectrodactyly caused by caffeine in rodents. Role of specific and genetic factors. *C R Seances Soc Biol Fil* 164(7):1488-1489.
- Bille C, Olsen J, Vach W, Knudsen VK, Olsen SF, Rasmussen K, Murray JC, Anderson AM, Christensen K. (2007). Oral clefts and life style factors: A case-cohort study based on prospective Danish data. *Eur. J. Epidemiol.* 22(3):173-181.
- Björklund O, Kahlström J, Salmi P, Ogren SO, Vahter M, Chen JF, Fredholm BB, Daré E. (2007). The effects of methylmercury on motor activity are sex- and age-dependent, and modulated by genetic deletion of adenosine receptors and caffeine administration. *Toxicology.* 241(3):119-33.
- Bodineau L, Cayetanot F, Sådani-Makki F, Bach V, Gros F, Lebleu A, Collin T, Frugière A. (2003). Consequences of in utero caffeine exposure on respiratory output in normoxic and hypoxic conditions and related changes of Fos expression: a study on brainstem-spinal cord preparations isolated from newborn rats. *Pediatr Res.* 53(2):266-73.
- Boice JD Jr, Tawn EJ, Winther JF, Donaldson SS, Green DM, Mertens AC, Mulvihill JJ, Olsen JH, Robison LL, Stovall M. (2003). Genetic effects of radiotherapy for childhood cancer. *Health Phys* 85:65–80.
- Borlee I, Lechat MF, Bouckaert A, Mission C. (1978). Coffee, risk factor during pregnancy. *Louvain Med* 97:279-284.
- Boue J, Boue A, Lazar P. (1975) Retrospective and prospective epidemiological studies of 1,500 karyotyped spontaneous abortions. *Teratology* 12:11-26.
- Boyer M, Rees S, Quinn J, Grattan-Miscio K, McCallum M, Saari MJ. (2003). Caffeine as a performance-enhancing drug in rats: Sex, dose, housing, and task considerations. *Percept Mol Skills* 97(1):259-270.

- Boylan SM, Cade JE, Kirk SF, Greenwood DC, White KL, Shires S, Simpson NA, Wild CP, Hay AW. (2008). Assessing caffeine exposure in pregnant women. *Br. J. Nutr.* 100(4):875-882.
- Bracken MB, Triche EW, Belanger K, Hellenbrand K, Leaderer BP. (2003). Association of maternal caffeine consumption with decrements in fetal growth. *Am J Epidemiol.* 157(5):456-66.
- Brent RL. (2008). Environmental and genetic causes of human congenital malformations: The physician's role in dealing with these complex clinical problems caused by environmental and genetic factors. In Studd J, Tan SL, Chervenak FA (eds.). *Progress in Obstetrics and Gynecology 18*, Edinburgh, England, Elsevier Ltd, Chapter 5, pp. 61-84.
- Brent RL. (2005). Non-genital malformations following exposure to progestational drugs: The final chapter of an erroneous allegation. *Birth Defects, Part A* 73(11):906-918.
- Brent RL. (2004). Environmental causes of human congenital malformations: The pediatrician's role in dealing with these complex clinical problems caused by a multiplicity of environmental and genetic factors. In Brent RL, Weitzman M (eds.). *Pediatric Supplement: Vulnerability, Sensitivity and Resiliency of Infants, Children and Adolescents to Environmental Agents*. *Pediatrics* 113(4):357-968.
- Brent RL. (2003). Commentary on Bendectin and Birth Defects: Hopefully, the Final Chapter. *Birth Defects Research* 67(2):79-87.
- Brent, R.L. (1999) The utilization of developmental basic science principles in the evaluation of reproductive risks from pre- and postconception environmental radiation exposures. Paper presented at the Thirty-Third Annual Meeting of the National Council on Radiation Protection and Measurements. *The Effects of Pre- and Postconception Exposure to Radiation*, April 2-3, 1997, Arlington, Virginia, *Teratology* 59: 182-204.
- Brent RL. (1997). Review of the scientific literature pertaining to the reproductive toxicity of Bendectin. In Faigman DL, Kaye DH, Saks MJ and Sanders J (eds.). *Modern Scientific Evidence: The Law and Science of Expert Testimony*. West Publishing Group, St. Paul, MN, Vol. 2, Chapter 29, pp. 373-393.
- Brent, R.L. (1995a) Bendectin Review of the Medical Literature of a Comprehensively Studied Human Non-Teratogen and the Most Prevalent Tortogen-Litigen. *Reproductive Toxicology* 9(4):337-349.

- Brent, R.L. (1995b) The application of the principles of toxicology and teratology in evaluating the risks of new drugs for the treatment of drug addiction in women of reproductive age. In Chiang, C.N. and Finnegan, L.P. (eds.) Research Monograph Series 149: Medications Development for the Treatment of Pregnant Addicts and their Infants, National Institute on Drug Abuse, Rockville, Maryland, pp. 130-184.
- Brent RL. (1994). Commentary: Cardiovascular birth defects and prenatal exposure to female sex hormones: Importance of utilizing proper epidemiological methods and teratologic principles. *Teratology* 49:159-161.
- Brent R. L. (1986) Evaluating the alleged teratogenicity of environmental agents. In: Brent, R. L. and Beckman, D. A. (eds.), *Clinics in Perinatology*. W.B. Saunders, Philadelphia, PA, Vol. 13, pp. 609-613.
- Brent RL (1985). Methods of evaluating and alleged teratogenicity of environmental agents. In: Marois M (ed.). *Prevention of Physical and Mental Congenital Defects Part C: Basic and Medical Science, Education and Future Strategies*. Alan R. Liss, Inc., New York, pp. 191-195.
- Brent RL. (1978). Method of evaluating alleged human teratogens. (Editorial) *Teratology* 17:183.
- Brent RL. (1976). Environmental factors: Miscellaneous. In Brent RL, Harris M (eds.). *Prevention of Embryonic, Fetal and Perinatal Disease*. DHEW Publication No. (NIH) 76-853, Bethesda, Maryland, Vol. 3, pp. 211-218.
- Brent, R.L., Beckman, D.A. and Jensch, R.P. (1986). The relationship of animal experiments in predicting the effects of intrauterine effects in the human. In: Kriegel, H., Schmahl, W., Gerber, G.B. and Stieve, F.E. (Eds), Radiation Risks to the Developing Nervous System. Gustav Fisher, New York, pp. 367-397.
- Brent RL, Beckman DA. (1990). Environmental teratogens. *The Bulletin of the New York Academy of Medicine*. Vol. 66(2):123-163.
- Brent RL, Holmes LB. (1988). Clinical and basic science lessons from the thalidomide tragedy: What have we learned about the causes of limb defects? *Teratology* 38:241-251.
- Browne ML. (2006). Maternal exposure to caffeine and risk of congenital anomalies: A systematic review. *Epidemiology* 17(3):324-331.

- Browne ML, Bell EM, Druschell CM, Grensburg LJ, Mitchell AA, Lin AE, Romitti PA, Correa A. National Birth Defects Prevention Study. (2007). Maternal caffeine consumption and risk of cardiovascular malformations. *Birth Defects Res. A Clin. Mol. Teratol.* 79(7):533-543.
- Burdan F, Madej B, Wójtowicz Z, Maciejewski R, Radzikowska E. (2000). The effects of short-time caffeine administration on skeleton development in Wistar rats. *Folia Morphol (Warsz).* 59(2):91-95.
- Burdan F, Siezieniewska Z, Urbanowicz Z. (2001). Combined effects of acetaminophen, isopropylantipyrine and caffeine on pregnant and nonpregnant liver. *Hum Exp Toxicol.* 20(11):569-575.
- Burdan F. (2002). Effects of prenatal exposure to combination of acetaminophen, isopropylantipyrine and caffeine on intrauterine development in rats. *Hum Exp Toxicol.* 21(1):25-31.
- Burdan F. (2003). Intrauterine growth retardation and lack of teratogenic effects of prenatal exposure to the combination of paracetamol and caffeine in Wistar rats. *Reprod Toxicol* 17:51-58.
- Burdan F. (2004). Developmental effects of propyphenazone in analgesic and antipyretic combination with caffeine or paracetamol. *Hum Exp Toxicol.* 23(5):235-244.
- Burnstock G, Brown CM. (1981). An introduction to purinergic receptors. In: Burnstock G (ed) *Purinergic Receptors*. Chapman and Hall, London New York, pp:1-45.
- Butcher RW, Sutherland EW. (1962). Adenosine 3', 5'-phosphate in biological materials. I. Purification and properties of cyclic 3', 5'nucleotide phosphodiesterase and use of this enzyme to characterize adenosine 3', 5-phosphate in human urine. *J Biol Chem* 237:1244-1250.
- Buters JT, Tang BK, Pineau T, Gelboin HV, Kimura S, Gonzalez FJ. (1996). Role of CYP1A2 in caffeine pharmacokinetics and metabolism: Studies using mice deficient in CYP1A2. *Pharmacogenetics* 6(4):291-296.
- Buttar HS, JonesKL. (2003) What do we know about the reproductive and developmental risks of herbal and alternate remedies? *Birth Defects Res B Dev Reprod Toxicol.* 68(6):492-493.
- Byrne J. (1999). Long-term genetic and reproductive effects of ionizing radiation and chemotherapeutic agents on cancer patients and their offspring. *Teratology* 59(4):210-215.
- CARE Study Group. (2008). Maternal caffeine intake during pregnancy and risk of fetal growth

- restriction: A large prospective observational study. *BMJ* 337:a2332.
- Carey JC, Martinez L, Balken E, Leen-Mitchell M, Robertson J. 2009. Determination of human teratogenicity by the astute clinician method: Review of illustrative agents and a proposal of guidelines. *Birth Defects Res (Part A)* 85:63-69.
- Chorostowska-Wynimko J, Skopinska-Rozewska E, Sommer E, Rogala E, Skopinski P, Wojtasik E. (2004). Multiple effects of theobromine on fetus development and postnatal status of the immune system. *Int J Tissue React* 26(1/2):53-60.
- Christian MS, Brent RL. (2001). Teratogen Update: Evaluation of the reproductive and developmental risks of caffeine. *Teratology* 64:51-78.
- Clausson B, Granath F, Ekblom A, Lundgren S, Nordmark A, Signorello LB, Cnattingius S. (2002). Effect of caffeine exposure during pregnancy on birth weight and gestational age. *Am J Epidemiol.* 155(5):429-36. (Repeated in Preterm Birth Section).
- Clyman RI, Roman C. (2007). The effects of caffeine on the preterm sheep ductus arteriosus. *Pediatr Res* 62(2);167-169.
- Cnattingius S, Signorello, LB, Anneren, G, Clausson, B, Ekblom, A, Ljunger, E, Blot, W, McLaughlin, LK, Petersson, G, Rane, A, Granath, F. (2000). Caffeine intake and the risk of first trimester spontaneous abortion. *N Engl J. Med.* 343:1839-1845.
- Collier SA, Browne ML, Rasmussen SA, Honein MA. (2009). National Birth Defects Prevention Study. Maternal caffeine intake during pregnancy and orofacial clefts. *Birth Defects Res A Clin Mol Teratol* 85(10):842-849.
- Collins TFX, Welsh JJ, Black TN, Ruggles DI. (1983). A study of the teratogenic potential of caffeine ingested in drinking water. *Food Chem Toxic* 21:763.
- Collins TFX, Welsh JJ, Black TN, Ruggles DI. (1981). Teratogenic potential of caffeine in rats. In: *Alternative dietary practices and nutritional abuses in pregnancy. Proceedings of a workshop.* Washington, DC, National Academy Press, pp. 97-107.
- Colomina, MT, Albina ML, Sanchez DJ, Domingo JL. (2001). Interactions in developmental toxicology: Combined action of restraint stress, caffeine, and aspirin in pregnant mice. *Teratology* 63:144-151.
- Colomina MT, Albina ML, Domingo JL, Corbell J. (1995). Effects of maternal stress on methylmercury-induced developmental toxicity in mice. *Physiol Behav* 58(5):979-983.
- Colomina Mt, Sanchez DJ, Esparaza JL, Domingo JL. (1999). Prenatal effects of caffeine and

- restraint stress in mice. *Proc Soc Exp Biol Med* 220(2):106-111.
- Committee on Toxicity (2001). COT statement on the reproductive effects of caffeine. London: Committee on Toxicity of Chemicals in Food, Consumer Products and the Environment, 2001, <http://cot.food.gov.uk/cotstatements/cotstatementsysr/cotsatemnts2001/caffeine>.
- Cook DG, Peacock JL, Feyerabend C, Carey IM, Jarvis MI, Anderson HR, et al. (1996). Relation of caffeine intake and blood caffeine concentrations during pregnancy to fetal growth: Prospective population based study. *BMJ* 313:1358-1362.
- da Silva RS, Richetti SK, Da Silveria VG, Battastini AM, Bogo MR, Lara DR, Bonan CD. (2008). Maternal caffeine intake affects acetylcholinesterase in hippocampus of neonate rats. *Int. J. Dev. Neurosci.* 26(3-4):339-343.
- da Silva RS, Hoffman A, de Souza DO, Lara DR, Bonan CD. (2005). Maternal caffeine intake impairs MK-801-induced hyperlocomotion in young rats. *Eur J Pharmacol* 509(2-3):155-159.
- Derkenne S, Curran CP, Shertzer HG, Dalton TP, Dragin N, Nebert DW. (2005). Theophylline pharmacokinetics: Comparison of Cyp1a1 (-/-) and Cyp 1a2(-/-) knockout mice, humanized hCYP1A1_1A2 knock-in mice lacking either the mouseCyp1a1 or Cyp1a2 gene, and cyp1(+/-) wild-type mice. *Pharmacogenet Genomics* 15(7):503-511.
- Desfrere L, Olivier P, Schwendimann L, Verney C, Greesens P. (2007). Transient inhibition of astrocytogenesis in developing mouse brain following postnatal caffeine exposure. *Pediatr Res* 62(5):604-609.
- Diego M, Field T, Hernandez-Reif M, Vera Y, Gil K, Gonzalez-Garcia A. (2007). Caffeine use affects pregnancy outcome. *Journal of Child & Adolescent Substance Abuse* 17:41-49.
- Dlugosz L, Bracken MB. (1992). Reproductive effects of caffeine: A review and theoretical analysis. *Epidemiol Rev* 14:83-100.
- du Preez MJ, Botha JH, McFadyen ML, Holford NH. (1999). The pharmacokinetics of theophylline in premature neonates during the first few days after birth. *Ther Drug Monit* 21(6):598-603.
- Elmazar MMA, McElhatton PR, Sullivan FM. (1982). Studies on the teratogenic effects of different oral preparations of caffeine in mice. *Toxicol* 23:57.
- Evereklioglu C, Güldür E, Alasehirli B, Cengiz B, Sari I, Pirbudak L. (2004). Excessive maternal caffeine exposure during pregnancy is cataractogenic for neonatal crystalline lenses in rats: a biomicroscopic and histopathologic study. *Acta Ophthalmol Scand* 82(5):552-556.

- Evereklioglu C, Sari I, Alasehirli Güldü, E, Cengiz B, Balat O, Bagci C. (2003). High dose caffeine administered to pregnant rats causes histopathological changes in the cornea of newborn pups. *Med Sci Monit* 9(5): BR168-173.
- Fedrick J. (1974). Anencephalus and maternal tea drinking: Evidence for a possible association. *Proc R Soc Med* 67(5):356-360.
- Fenster L, Quale C, Hiatt RA, Wilson M, Windham GC, Benowitz NL. (1998). Rate of caffeine metabolism and risk of spontaneous abortion. *Am J Epidemiol* 147(5):503-510.
- Fenster L, Eskenazi B, Windham GC, Swan SH. (1991). Caffeine consumption during pregnancy and fetal growth. *Am J Public Health*. 81:458-461.
- Food and Drug Administration (FDA) (1986). See Johnson CB, Shibko SI, Taylor JM. Caffeine. Review of toxicological studies, 1980-present (September 1986). FDA Review.
- Food and Drug Administration (FDA) (1980). Caffeine and pregnancy. *FDA Drug Bulletin* 10:19-20.
- Fort DJ, Stover EL, Propst TL, Faulkner BC, Vollmuth TA, Murray FJ. (1998). Evaluation of the developmental toxicity of caffeine and caffeine metabolites using the frog embryo teratogenesis assay—Xenopus (FETAX). *Food Chem Toxicol* 36(7):591-600.
- Fuji T, Nishimura H. (1972). Adverse effects of prolonged administration of caffeine on rat fetus. *Toxicol Appl Pharmacol* 22:449.
- Gaytan SP, Saadani-Makki F, Bodineau L, Frugière A, Larnicol N, Pásaro R. (2006). Effect of postnatal exposure to caffeine on the pattern of adenosine A₁ receptor distribution in respiration-related nuclei of the rat brainstem. *Auton Neurosci*. 126-127:339-346.
- George L, Granath F, Johansson ALV, Olander B, Cnattingius S. (2006). Risks of repeated miscarriage. *Paediatr. Perinat. Epidemiol*. 20:119-126.
- Giannelli M, Doyle P, Roman E, Pelerin M, Hermon C. (2003). The effect of caffeine consumption and nausea on the risk of miscarriage. *Paediatr Perinat Epidemiol*. 17(4):316-323.
- Gilbert EF, Pistey WR. (1973). Effect on the offspring of repeated caffeine administration to pregnant rats. *J Repro Fert* 34:495.
- Gilbert SG, Rice DC, Reuhl KR, Stavric B. (1988). Adverse pregnancy outcome in the monkey (*Macaca fascicularis*) after chronic caffeine exposure. *Pharmacol Exp Therap* 245:1048.JG.

- Gilbert SG, Rice DC. (1991). Somatic development of the infant monkey following in utero exposure to caffeine. *Fundam Appl Toxicol* 17(3):454-465.
- Gilbert SG, Rice DC. (1994). In utero caffeine exposure affects feeding pattern and variable ratio performance in infant monkeys. *Fundam Appl Toxicol* 22(1):41-50.
- Gilbert-Barness E. (2000). Maternal caffeine and its effect on the fetus. *Am J Med Genet* 93(3):253.
- Greenwood DC, Alwan N, Boylan S, Cade JE, Charvill J, Chipps KC, Cooke MS, Dolby VA, Hay AW, Kassam S, Kirk SF, Konje JC, Potdar N, Shires S, Simpson N, Taub N, Thomas JD, Walker J, White KL, Wild CP. (2010) Caffeine intake during pregnancy, late miscarriage and stillbirth. *Eur J Epidemiol* 25(4):275-280.
- Gregg NM. (1941). Congenital cataract following German measles in he mother. *Trans. Ophthalmol. Soc. Aust.* 3:35-46.
- Grosso LM, Triche EW, Belanger K, Benowitz NL, Holford TR, Bracken MB. (2006). Caffeine metabolites in umbilical cord blood, cytochrome P-450 1A2 activity, and intrauterine growth restriction. *Am J Epidemiol.* 163(11):1035-1041. Epub 2006 Apr 26.
- Grosso LM, Rosenberg KD, Belanger K, Saftlas AF, Leaderer B, Bracken MB. (2001). Maternal caffeine intake and intrauterine growth retardation. *Epidemiology.* Jul;12(4):447-55. Erratum in: *Epidemiology* 12(5):517.
- Heinonen OP, Slone D, Shapiro S. (1977). Birth defects and drugs in pregnancy. Littleton, MA: Jon Wright-PSG, pp. 11, 366-370, 436, 440, 477, 493.
- Hertig A. T. (1967) The overall problem in man. In: Benirschke, K. (ed.), *Comparative Aspects of Reproductive Failure.* Springer-Verlag, Berlin, pp.11-41.
- Hongu N, Sachan DS. (2000). Caffeine, carnitine and choline supplementation of rat decreases body fat and serum leptin serum leptin concentraton as does excercise. *J Nutr* 130(2):152-157.
- Iglesias I, Leon D, Ruiz MA, Albasanz JL, Martin M. (2006). Chronic intake of caffeine during gestation down regulates metabotropic glutamate receptors in maternal and fetal rat heart. *Amino Acids* 30(3): 257-266.
- Infante-Rivard C. (2007). Caffeine intake and small-for-gestational-age birth: modifying effects of xenobiotic-metabolising genes and smoking. *Paediatr Perinat Epidemiol.* 21(4):300-309.

- Ikeda GJ, Sapienza PP, McGinnis ML, Bragg LE, Walsh JJ, Collins TFX. (1982). Blood levels of caffeine and results of fetal examination after oral administration of caffeine to pregnant rats. *J Appl Toxicol* 2:307.
- James JE, Paull I. (1985). Caffeine and human reproduction. *Rev Environ Health* 5(2):151-167.
- Janus K, Antoszek J. (2000). The effect of sex and age on caffeine pharmacokinetics in cattle. *Res Vet Sci* 69(1):33-37.
- Janus K, Antoszek J, Suszycki S. (2001). The effect of short-term starvation or water deprivation on caffeine pharmacokinetics in calves. *Res Vet Sci* 70(2):109-113.
- Johansen AMW, Wilcox AJ, Lie RT, Andersen LF, Drevon CA. 2009. Maternal consumption of coffee and caffeine-containing beverages and oral clefts: A population-based case-control study in Norway. *Am J Epidemiol* 169:1216-1222.
- Jorritsma U, Schrader E, Klaunick G, Kapitulnik J, Hirsch-Ernst KI, Kahl GF, Foth H. (2000). Monitoring of cytochrome P-450 1A activity by determination of the urinary pattern of caffeine metabolites in Wistar and hyperbilirubinemic Gunn rats. *Toxicology* 144(1-3):229-236.
- Karypidis AH, Soderstrom T, Nordmark A, Granath F, Cnattingius S, Rane A. (2006). Association of cytochrome P450 1B1 polymorphism with first-trimester miscarriage. *Fert.Steril.* 86(5):1498-1503.
- Keller BB, Liu LJ, Tinney JP, Tobita K. (2007). Cardiovascular developmental insights from embryos. *Ann N Y Acad Sci.* 1101:377-388.
- Khanna NN, Smani SM (1984). Maternal coffee drinking and unusually high concentrations of caffeine in the newborn. *J Toxicol Clin Toxicol* 22:473-483.
- Khoury JC, Midodovnik M, Buncher CR, Kalkwarf H, McElvy S, Khoury PR, Sibai B. (2004). Consequences of smoking and caffeine consumption during pregnancy in women with type 1 diabetes. *J Matern Fetal Neonatal Med.* 15(1):44-50.
- Klebanoff MA, Levine RJ, Clemens JD, Wilkins DG. (2002). Maternal serum caffeine metabolites and small-for-gestational age birth. *Am J Epidemiol.* 155(1):32-37.
- Klebanoff MA, Levine RL, DerSimonian R, Clemens JD, Wilkins DG. (1999). Maternal serum paraxanthine, a caffeine metabolite, and the risk of spontaneous abortion. *N Engl J Med* 341:1639-1644.

- Klebanoff MA. (1998). Conceptualizing categories of preterm birth. *Prenatal Neonatal Med.* 3:13-15.
- Klebanoff MA, Levine RJ, Dersimonian R, Clemens JD, Wilkins DG. (1998). Serum caffeine and paraxanthine as markers for reported caffeine intake in pregnancy. *Ann. Epidemiol.* 8(2):107-111.
- Kline J, Stein Z, Susser M, Warburton D. (1980). Environmental influences on early reproductive loss in a current New York City study, in *Human Embryonic and Fetal Death*, Porter IM, Hook EM eds. Academic Press, New York, pp. 225.
- Kline J. and Stein Z. (1985) Environmental causes of aneuploidy: Why so elusive? *Basic Sciences* 36, 149-164.
- Klonoff-Cohen H, Bleha J, Lam-Kruglick P. (2002). A prospective study of the effects of female and male caffeine consumption on the reproductive endpoints of IVF and gamete intra-Fallopian transfer. *Hum. Reprod.* 17(7):1746-1754.
- Knoche C, König J. (1964). Zur pränatalen Toxizität von Diphenylpyralin-8-chlortheophyllinat unter Berücksichtigung von Erfahrungen mit Thalidomid und Caffein. *Arzneimittelforschung* 14:415-424.
- Kolarovic J, Mikov M, Ristovski V. (1999). The influence of anesthetic concentrations of enflurane and ethanol on caffeine metabolism in mice. *Exp Toxicol Pathol* 51(4-5):347-351.
- Kriel RL, Gates GA, Wulff H, Powell N, Poland JD, Chin TDY. (1970). Cytomegalovirus isolations associated with pregnancy wastage. *Am J Obstet Gynecol* 106:885-892.
- Kurppa K, Holmberg PC, Kuosama E, Saxen L. (1983). Coffee consumption during pregnancy and selected congenital malformations: A nationwide case-control study. *Am J Public Health* 73(12):1397-1399.
- Labeledzki A, Buters J, Jabrane W, Fuhr U. (2002). Differences in caffeine and paraxanthine metabolism between human and murine CYP1A2. *Biochem Pharmacol* 63(13):2159-2167.
- Lawson CC, LeMasters GK, Wilson KA. (2004). Changes in caffeine consumption as a signal of pregnancy. *Reprod. Tox.* 18:625-633.
- León D, Albasanz JL, Ruíz MA, Fernández M, Martín M. (2002). Adenosine A₁ receptor down-regulation in mothers and fetal brain after caffeine and theophylline treatments to pregnant rats. *J Neurochem* 82(3):625-634.
- León, D, Algasahz JL, Rutz MA, Martín (2005a). Chronic caffeine or theophylline intake during

- pregnancy inhibits A1 receptor function in the rat brain. *Neuroscience* 131:481-489.
- León, D, Albasanz, JL, Ruiz, MA. (2005b). Effect of chronic gestational treatment with caffeine or theophylline on Group I metabotropic glutamate receptors in maternal and fetal brain. *J Neurochem* 94(2): 440-451.
- Leuschner F, Schwerdtfeger W. (1969). Über den Einfluss von Coffein und anderen Methylxanthinen auf die Fortpflanzung von Wistar-Ratten. In: Heim F, Ammon HPT eds. *Caffein und andere Methylxanthine*. Stuttgart: Erlangen, Schattauer pp. 209-215.
- Leviton A, Cowan L. (2002). A review of the literature relating caffeine consumption by women to their risk of reproductive hazards. *Food Chem Toxicol* 40(9):127-1310.
- Lewis RB, Schulman JD. (1973). Influence of acetylsalicylic acid, an inhibitor of prostaglandin synthesis, on the duration of human gestation and labour. *Lancet* 2:1159.
- Li DK, Odouli R, Wi S, Janevic T, Golditch I, Bracken TD, Senior R, Rankin R, Iriye R. (2002) A population-based prospective cohort study of personal exposure to magnetic fields during pregnancy and the risk of miscarriage. *Epidemiology* 13(1):9-20.
- Linn S, Schoenbaum SC, Monson RR, Rosner B, Stubblefield PG, Ryan KJ. (1982). No association between coffee consumption and adverse outcomes of pregnancy. *N Engl J Med* 306(3):141-145.
- Londos C, Cooper DM, Rodbell M. (1981). Receptor-mediated stimulation and inhibition of adenylate cyclases: The fat cell as a model system. *Adv Cyclic Nucleotide Res* 14:163-171.
- Lopez FJ, Alvarino JM. (2000). Effects of added caffeine on results following artificial insemination with fresh and refrigerated rabbit semen. *Anim Reprod Sci* 58(1-2):147-154.
- Louik C, Hernandez-Diaz S, Werler MM, Mitchell AA. (2006) Nausea and vomiting in pregnancy: Maternal characteristics and risk factors. *Paediatr. Perinat. Epidemiol.* 20(4):270-278.
- Lutz J, Beck SL. (2000). Caffeine decreases the occurrence of cadmium-induced forelimb ectrodactyly in C57BL/6J mice. *Teratology.* 62(5):325-331.
- Maconochie N, Doyle P, Prior S, Simmons R. (2007). Risk factors for first trimester miscarriage-results from a UK-population-based-case-control study. *Br J Obstet Gynaecol* 114(2):170-186.
- Martin TR, Bracken MB. (1987). The association between low birth weight and caffeine consumption during pregnancy. *Am J Epidemiol* 126:813-821.

- Marret S, Delpech B, Girard N, Leroy A, Maingonnat C, Menard JF, Fessard C. (1997). Caffeine decreases glial cell number and increases hyaluronan secretion in newborn rat brain cultures. *Pediatric Brain Res* 34:716-719.
- Matsuoka R, Uno H, Tanaka H, Kerr CS, Nakazawa K, Nadal-Ginard B. (1987). Caffeine induces cardiac and other malformations in the rat. *Am J Med Genet Supl* 3:433-443.
- Mau G, Netter P. (1974). Kaffee und alkoholkonsum, risikofaktoren in der schwangerschaft, *Geburtsh Frauenheilkd*, 34:1018-1022.
- Maza AM, Gascon AR, Hernandez RM, Solinis MA, Calvo MB, Pedraz JL. (2001). Influence of hepatic regeneration after partial hepatectomy on theophylline pharmacokinetics in rats. *Eur J Drug Metab Pharmacokinet* 26(1-2):53-58.
- Mazkereth R, Laufer J, Jordan S, Pomerance JJ, Boichis H, Reichman B. (1997). Effects of theophylline on renal function in premature infants. *Am J Perinatol* 14(1):45-49.
- Mead PB. (1989). Parvovirus B19 infection and pregnancy. *Contemp Ob Gyn* 34:56-70.
- Miller EA, Manning SE, Rasmussen SA, Reefhuis J, Honein MA, The National Birth Defects Prevention Study. (2009). Maternal exposure to tobacco smoke, alcohol and caffeine, and risk of anorectal atresia, National Birth Defects Prevention Study 1997-2003. *Paediatr. Perinat. Epidemiol.* 23:9-17.
- Momoi N, Tinney JP, Liu LJ, Elshershari H, Hoffmann PJ, Ralphe JC, Keller BB, Tobita K. (2008). Modest maternal caffeine exposure affects developing embryonic cardiovascular function and growth. *Am J Physiol Heart Circ Physiol.* 294(5):H2248-2256.
- Monozawa K, Fukuda Y. (2003). Caffeine in fertilization in medium is not essential for bovine IVF by fullycapacitated spermatozoa. *J ReprodDev* 49(6):507-512.
- Mongraw-Chaffin ML, Cohn BA, Cohen RD, Christianson RE. (2008). Maternal smoking, alcohol consumption, and caffeine consumption during pregnancy in relation to a son's risk of persistent cryptorchidism: A prospective study in the Child Health and Development Studies cohort, 1959-1967. *Am. J. Epidemiol.* 167(3):257-261.
- Mulvihill J, Myers MH, Connelly RR, Byrne J, Austin, DF, Bragg K, Cook JW, Hassinger DD, Holmes FF, Holmes GF, et al. (1987). Cancer in offspring of long-term survivors of childhood and adolescent cancer. *The Lancet* ii, Saturday, October 10 2(8563):813-817.
- Nagasawa H, Sakurai N. (1986). Effects of chronic ingestion of caffeine on mammary growth and reproduction in mice. *Life Sciences* 39:351.

- Nash JE, Persaud TVN. (1988). Reproductive and teratologic risk of caffeine. *Anat Anz Jena* 167:265-270.
- Natsume N, Kawai T, Ogi N, Yoshida W. (2000). Maternal risk factors in cleft lip and palate: Case control study. *Br. J. Oral Maxillofac. Surg.* 38(1):23-25.
- Nawrot P, Jordan S, Eastwood J, Rotstein J, Hugenholtz A, Feeley M. (2003). Effects of caffeine on human health. *Food Addit Contam* 20(1):1-30.
- Neel JV, Lewis SE. (1990). The comparative radiation genetics of humans and mice. *Am. Rev. Genet.* 24:327-362.
- Neel JV. (1999). Changing perspectives on the genetic doubling dose of ionizing radiation for humans, mice, and *Drosophila*. *Teratology* 59:216-222.
- Nehling A, Derby G. (1994). Consequences on the newborn of chronic maternal consumption of coffee during gestation and lactation: A review. *J Am Coll Nutr* 13(1):6-21.
- Nelson MM, Forfar JO. (1971). Associations between drugs administered during pregnancy and congenital abnormalities of the fetus. *BMJ* 1:523-527.
- Nishimura H, Nakai K. (1960). Congenital malformations in offspring of mice treated with caffeine. *Proc. Soc. Exp. Biol. Med.* 104:140-142.
- Nolen GA. (1981). The effect of brewed and instant coffee on reproduction and teratogenesis in the rat. *Toxicol Appl Pharmacol* 58:171.
- Nolen GA. (1989). The developmental toxicology of caffeine. In Kalter H ed. *Issues and Reviews in Teratology*, Vol 14. Plenum Press, New York, pp. 305-350.
- Nomura K, Saito S, Ide K, Kamino Y, Sasahara H, Nakamoto T, Abiko Y. (2004). Caffeine suppresses the expression of the *Bel-2* mRNA in BeWo cell culture and rat placenta. *J Nutr Biochem* 15(6):342-349.
- Nygaard R, Clausen N, Siimes MA, Marky I, Skjeldestad FE, Kristinsson JR, Vuoristo A, Wegelius R, Moe PJ. (1991a). Reproduction Following Treatment for Childhood Leukemia: A Population-Based Prospective Cohort Study of Fertility and Offspring. *Med Pediatr Oncol* 19:459-466.
- Nygaard R, Garwicz S, Haldorsen T, Hertz H, Jonmundsson GK, Lanning M, Moe PJ. (1991b). Second malignant neoplasms in patients treated for childhood leukemia. *Acta Paediatr Scand* 80:1220-1228.

- Olsen J. (1984) Calculating risk ratios for spontaneous abortions: The problems of induced abortions. *Int. J. Epidemiol.* 13:347-350.
- Olsen J, Overvad K, Frische G. (1991). Coffee consumption, birthweight, and reproductive failures. *Epidemiology* 2(5):370-374.
- Ørskou J, Henriksen TB, Kesmodel U, Secher NJ. (2003). Maternal characteristics and lifestyle factors and the risk of delivering high birth weight infants. *Obstet Gynecol.* 2003 Jul;102(1):115-120.
- Palm PE, Arnold EP, Rachwall PC, Leyczek JC, Teague KW, Kensler CJ. (1978). Evaluation of the teratogenic potential of fresh-brewed coffee and caffeine in the rat. *Toxicol Appl Pharmacol* 44(1):1-16.
- Parazzini F, Chiaffarino F, Chatenoud L, Tozzi L, Cipriani S, Chiantera V, Fedele L. (2005). Maternal coffee drinking in pregnancy and risk of small for gestational age birth. *Eur J Clin Nutr.* 59(2):299-330.
- Peacock JL, Bland JM, Anderson HR. (1991). Effects on birthweight of alcohol and caffeine consumption in smoking women. *J Epidemiol Community Health* 45:159-163.
- Peck JD, Leviton A, Cowan LD. (2010). A review of the epidemiologic evidence concerning the reproductive health effects of caffeine consumption: A 2000-2009 update. *Food Chem Toxicol.* 48:2449-2576.
- Peck K, Mealey KL, Matthews NS, Taylor TS. (1997). Comparative pharmacokinetics of caffeine and three metabolites in clinically normal horses and donkeys. *Am J Vet Res* 58(8):881-884.
- Pelissier-Alicot AL, Schreiber-Deturmeny E, Simon N, Gantenbein M, Bruguerolle B. (2002). Time-of-day dependent pharmacodynamics and pharmacokinetic profiles of caffeine in rats. *Naunyn Schmiedebergs ArchPharmacol* 365(4):318-325.
- Phillis JW, Wu PH. (1981). The role of adenosine and its nucleotides in central synaptic transmission. *Prog Neurobiol* 16(3-4):187-239.
- Pieters JLL. (1985). Nutritional teratogens: A survey of epidemiology literature. *Prog Clin Biol Res* 163B:419-429.
- Pollard I, Jabbour H, Mehrabani PA. (1987). Effects of caffeine administration during pregnancy on fetal development and subsequent functions in the adult rat: Prolonged effects on a second generation. *J Toxicol Environ Health* 22:1.

- Pollard I, Locquet O, Solvr A, Magre S. (2001). Effects of caffeine and its reactive metabolites theophylline and theobromine on the differentiating testis. *Reprod Fertil Dev* 13(5-6):435-441.
- Pollack CE, Lynch J, Alley DE, Cannuscio C. (2010). Foreclosure and health status. *LDI Issue Brief* 15(2):1-4.
- Purves D, Sullivan FM. (1993). Reproductive effects of caffeine. Experimental studies in animals. In: Garattini S (ed). *Monographs of the Mario Negri Institute for Pharmacological Research, Milan: Caffeine, Coffee and Health, New York: Raven Press*, pp. 317-342.
- Rall DP. (1980). Carcinogenicity testing of drugs. *JAMA* 243(10):1035.
- Rasch V. (2003). Cigarette, alcohol, and caffeine consumption: Risk factors for spontaneous abortion. *Acta Obstet. Gynecol. Scand.* 82(2):182-188.
- Rice DC, Gilbert SG. (1990). Automated behavioral procedures for infant monkeys. *Neurotoxicol Teratol* 12(5):429-439.
- Rosenberg L, Mitchell AA, Shapiro S, Slone D. (1982). Selected birth defects in relation to caffeine-containing beverages. *JAMA* 247(10):1429-1432.
- Rugh R, Duhamel L, Skaredoff L. (1966). Relation of embryonic and fetal x-irradiation to life time average weights and tumor incidence in mice. *Proc Soc Exp Biol Med* 121(3):714-718.
- Saadani-Makki F, Frugière A, Gros F, Gaytan S, Bodineau L. (2004). Involvement of adenosinergic A1 systems in the occurrence of respiratory perturbations encountered in newborns following an in utero caffeine exposure. A study on brainstem-spinal cord preparations isolated from newborn rats. *Neuroscience*. 127(2):505-518.
- Sahir N, Bahi N, Evrard P, Gressens P. (2000). Caffeine induces in vivo premature appearance of telencephalic vesicles. *Dev Brain Res*. 121(2):213-217.
- Sahir N, Mas C, Bourgeois F, Simonneau M, Evrard P, Gressens P. (2001). Caffeine-induced telencephalic vesicle evagination in early post-implantation mouse embryos involves cAMP-dependent protein kinase (PKA) inhibition. *Cereb Cortex*. 11(4):343-349.
- Salmi P, Ogren SO, Vahter M, Chen JF, Fredholm BB, Dare E. (2007). The effects of methylmercury on motor activity are sex- and age-dependent and modulated by genetic deletion of adenosine receptors and caffeine administration. *Toxicology* 241(3):119-133.
- Santos, IS, Matijasevich, A, Valle NCJ. (2005). Mate drinking during pregnancy and risk of preterm and small for gestational age birth. *J. Nutrition*. 135: 1120-1123.

- Sata F, Yamada H, Suzuki K, Saijo Y, Kato EH, Morikawa M, Minakami H, Kishi R. (2005). Caffeine intake, CYP1A2 polymorphism and the risk of recurrent pregnancy loss. *Mol. Hum. Reprod.* 11(5):357-360.
- Savitz DA. (2008). Invited Commentary: Disaggregating preterm birth to determine etiology. *Am. J. Epidemiol.* 168(9):990-992.
- Schardein J. (2000). *Chemically Induced Birth Defects*, 3rd edition revised and expanded. Marcel Dekker Inc. New York and Basil, 1096 pages.
- Schmidt RJ, Romitti PA, Burns TL, Browne ML, Druschel CM, Olney RS. (2009). National Birth Defects Prevention Study: Maternal caffeine consumption and risk of neural tube defects. *Birth Defects Res A Clin Mol Teratol* 85(11):879-889.
- Schrader E, Klaunick G, Jorritsma U, Neurath H, Hirsch-Ernst KI, Kahl GF, Foth H. (1999). High-performance liquid chromatographic method for simultaneous determination of [1-methyl-¹⁴C]caffeine and its eight major metabolites in rat urine. *J Chromat B* 726:195-201.
- Scialli AR, Lione A, Boyle-Padgett GK, eds. (1995). *Reproductive Effects of Chemical, Physical, and Biological Agents*. The Johns Hopkins University Press, Baltimore, MD.
- Shepard, T.H. (1986) Human teratogenicity. In: *Advances in Pediatrics*. L. Barness, ed. Year Book Medical Publishers, Chicago, Vol. 33, pp. 225-268.
- Shepard, T.H. (1994) "Proof" of human teratogenicity. *Teratology*, 50:97-98.
- Shi D, Nikodijevic O, Jacobson KA, Daly JW (1993). Chronic caffeine alters the density of adenosine, adrenergic, cholinergic, GABA and serotonin receptors and calcium channels in mouse brain. *Cell Mol Neurobiol* 13:247-261.
- Signorello LB, McLaughlin JK. (2004). Maternal caffeine consumption and spontaneous abortion: A review of the epidemiologic evidence. *Epidemiology* 15:229-239.
- Signorello LB, Nordmark A, Granath F, Blot WJ, McLaughlin JK, Anneren G, Lundgren S, Ekblom A, Rane A, Cnattingius S. (2001). Caffeine metabolism and the risk of spontaneous abortion of normal karyotype fetuses. *Obstet. Gynecol.* 98(6):1059-1066.
- Simpson J. L. (1980) Genes, chromosomes and reproductive failure. *Fertil. Steril.* 33, 107-116.
- Sivak A. (1994). Coteratogenic effects of caffeine. *Regul Toxicol Pharmacol* 19(1):1-13.
- Slickers JE, Olshan AF, Siega-Riz AM, Honein MA, Aylsworth AS, National Birth Defects Prevention Study. (2008) Maternal body mass index and lifestyle exposures and the risk of

- bilateral renal agenesis or hypoplasia: The National Birth Defects Prevention Study. *Am. J. Epidemiol.* 168(11):1259-1267. **Page 17**
- Smith C. (1947). Effects of maternal under nutrition upon the newborn infant in Holland (1944-45). *J. Pediatr.* 30:229.
- Smith SE, McElhatton PR, Sullivan FM. (1987). Effects of administering caffeine to pregnant rats either as a single daily dose or as divided doses four times a day. *Food Chem Toxicol* 25:125-133.
- Snyder SH. (1984). Cholinergic mechanisms in affective disorders. *N.Engl. J. Med.* 311(4):254-255.
- Stavric B. (1992). An update on research with coffee/caffeine (1989-1990). *Food Chem Toxicol* 30(6):533-555.
- Stavric B. (1988). Methylxanthines: Toxicity to humans. 2. Caffeine. *Food Chem Toxicol* 26(7):645-642.
- Stein Z, Susser M, Warburton D, Wittes J, Kline J. (1975). Spontaneous abortion as a screening device. The effect of fetal survival on the incidence of birth defects. *Am J Epidemiol* 102(4):275-290.
- Stone TW. (1981). Physiological roles for adenosine and adenosine 5'-triphosphate in the nervous system. *Neuroscience* 6:523-555.
- Sullivan FM, Smith SE, McElhatton PR. (1987). Interpretation of animal experiments as illustrated by studies on caffeine. In: Nau H, Scott WJ (eds.). *Pharmacokinetics in Teatogenesis*. Vol. 1. Boca Raton, Florida: CRC Press, Inc., pp. 123-127.
- Susser E. (1983). Spontaneous abortion and induced abortion: An adjustment for the presence of induced abortion when estimating the rate of spontaneous abortion from cross-sectional studies. *Am. J. Epidemiol.* 117:305-308.
- Sutherland EW and Rall TW. (1958). Fractionation and characterization of a cyclic adenine ribonucleoide formed by tissue particles. *J Biol Chem* 232(2):1077-1091.
- Tanaka K, Nakazawa K, Masataka A (1983). Adverse effect of maternal caffeine ingestion on fetal cerebrum in rat. *Brain Dev* 5:397-406.
- Tatham BG, Feehan T, Pashen R. (2003). Buffalo and cattle hybrid embryo development is decreased by caffeine treatment during in vitro fertilization. *Theriogenology* 59(3-4):709-717.

- Todi F, Mendonca M, Ryan M, Herskovits P. (1999). The confirmation and control of metabolic caffeine in standard bred horses after administration of theophylline. *J Vet Pharmacol Ther* 22(5):333-342.
- Tolstrup JS, Kjaer SK, Munk C, Madsen LB, Ottesen B, Bergholt T, Gronbaek M. (2003). Does caffeine and alcohol intake before pregnancy predict the occurrence of spontaneous abortion? *Hum. Reprod.* 18(12):2704-2710.
- Tomimatsu T, Lee SJ, Peña JP, Ross JM, Lang JA, Longo LD. (2007). Maternal caffeine administration and cerebral oxygenation in near-term fetal sheep. *Reprod Sci* 4(6):588-594.
- Torfs CP, Christianson RE. (2000). Effect of maternal smoking and coffee consumption on the risk of having a recognized Down syndrome pregnancy. *Am. J. Epidemiol.* 152(12):1185-1191.
- Tsubouchi H, Shimoya K, Hayashi S, Toda M, Morimoto K, Murata Y. (2006). Effect of coffee intake on blood flow and maternal stress during the third trimester of pregnancy. *Int J Gyanaecol Obstet* 92(1):19-22.
- van Calker D, Muller M, Hamprecht B. (1979). Adenosine regulates via two different types of receptors, the accumulation of cyclic AMP in cultured brain cells. *J Neurochem* 33(5):999-1005.
- Vik T, Bakketeig LS, Trygg KU, Lund-Larsen K, Jacobsen G. (2003). High caffeine consumption in the third trimester of pregnancy: gender-specific effects on fetal growth. *Paediatr Perinat Epidemiol.* 17(4):324-31.
- Vlajinac HD, Petrovic RR, Marinkovic JM, Sipetic SB, Adanja BJ. (1997). Effect of caffeine intake during pregnancy on birth weight. *Am J Epidemiol* 145:335-338.
- von Borstel WR, Wurtman RJ (1984). Caffeine and cardiovascular effects of physiological levels of adenosine. In: Dews PB ed. *Caffeine- Perspectives from Recent Research*. Springer-Verlag, Berlin, pp. 142-150.
- Wasfi IA, Boni NS, Elghazali M, Abdel-Hadi AA, Almuhrani AM, Barezaig IM, Alkatheeri NA. (2000). The pharmacokinetics, metabolism and urinary detection time of caffeine in camels. *Res Vet Sci* 69(1):69-74.

- Weigel RM, Weigel MM. (1989). Nausea and vomiting of early pregnancy and pregnancy outcome: A meta-analytical review. *Br. J. Obstet. Gynaecol.* 96:1312-1318.
- Wen, W, Shu, I, Xiao, O, Jacobs, D, Brown, J. (2001). The association of maternal caffeine consumption and nausea with spontaneous abortion. *Epidemiology* 12:38-42.
- Weng X, Odouli R, Li DK. (2008). Maternal caffeine consumption during pregnancy and the risk of miscarriage: A prospective cohort study. *Am. J. Obstet. Gynecol.* 198(3):279-286.
- Wilson JG, Brent RL.(1981). Are female sex hormones teratogenic? *Amer. J. Obstet. Gynec.* 141:567-580.
- Winther JF, Boice JD Jr, Mulvihill J, et al. 2004. Chromosomal abnormalities among offspring of childhood-cancer survivors in Denmark: A population-based study. *Am J Hum Genet* 74: 1282-1285.
- World Health Organization (1970). Spontaneous and induced abortion. World Health Organization Technical Report Series, Number 461, Geneva, World Health Organization.
- Xue F, Willett WC, Rosner BA, Forman MR, Michels KB. (2008). Parental characteristics as predictors of birthweight. *Hum. Reprod.* 23(1):168-77. Epub 2007 Oct 12.
- Zusterzeel PL, Nelen WL, Roelofs HM, Peters WH, Blom HJ, Steegers EA. (2000). Polymorphisms in biotransformation enzymes and the risk of recurrent early pregnancy loss. *Mol. Hum. Reprod.* 6(5):474-478.