

2020

Built Environment Ecosystems Framework towards Sustainable Urban Housing Infrastructure

Anna Dyson
Yale School of Architecture

Naomi Keena
Yale School of Architecture

Alan Organschi
Yale School of Architecture

Lisa Gray
Yale School of Architecture

Nick Novelli
Follow this and additional works at: <https://jdc.jefferson.edu/jcabefp>
Yale School of Architecture

 Part of the [Architecture Commons](#)

[Let us know how access to this document benefits you](#)

See next page for additional authors

Recommended Citation

Dyson, Anna; Keena, Naomi; Organschi, Alan; Gray, Lisa; Novelli, Nick; Bradford, Kipp; Aly-Etman, Mohamed; Gindlesparger, Matt; Wildman, Hind; Duwyn, Jonathan; Otto, Martina; Loran, Sophie; Beltrandi, Catherine; and Radka, Mark, "Built Environment Ecosystems Framework towards Sustainable Urban Housing Infrastructure" (2020). *College of Architecture and the Built Environment Faculty Papers*. Paper 3. <https://jdc.jefferson.edu/jcabefp/3>

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in College of Architecture and the Built Environment Faculty Papers by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: JeffersonDigitalCommons@jefferson.edu.

Authors

Anna Dyson, Naomi Keena, Alan Organschi, Lisa Gray, Nick Novelli, Kipp Bradford, Mohamed Aly-Etman, Matt Gindlesparger, Hind Wildman, Jonathan Duwyn, Martina Otto, Sophie Loran, Catherine Beltrandi, and Mark Radka

PAPER • OPEN ACCESS

Built Environment Ecosystems Framework towards Sustainable Urban Housing Infrastructure

To cite this article: Anna Dyson *et al* 2020 *IOP Conf. Ser.: Earth Environ. Sci.* **588** 042027

View the [article online](#) for updates and enhancements.

Built Environment Ecosystems Framework towards Sustainable Urban Housing Infrastructure

Anna Dyson^{1*} & Naomi Keena^{1*}, Alan Organschi¹, Lisa Gray¹, Nick Novelli¹, Kipp Bradford², Mohamed Aly-Etman¹, Matt Gindlesparger⁴, Hind Wildman¹, Jonathan Duwyn³, Martina Otto³, Sophie Loran³, Catherine Beltrandi³, Mark Radka³

¹ Yale Center for Ecosystems in Architecture (Yale CEA), Yale School of Architecture, Yale University, 180 York Street, New Haven, CT 06511, USA

² Princeton School of Architecture, Princeton, NJ 08544, USA

³ Energy and Climate Branch, Economy Division, UN Environment 1 rue Miollis, Building VII, 751015 Paris, France

⁴ College of Architecture and the Built Environment, Thomas Jefferson University, Philadelphia, PA 19107, USA

* Joint co-first authorship

Contact: naomi.keena@yale.edu

Abstract. As the rates of urbanization increase to unprecedented levels, the urgent need for sustainable housing and infrastructure has become a widespread global challenge with social, economic and ecological implications. The housing sector directly impacts the majority of the United Nations (UN) Sustainable Development Goals (SDGs). However, striving to achieve these goals in a compartmentalized or siloed manner has impeded the implementation of transformational solutions that increase the security and wellbeing of urban populations. Here, we introduce the Built Environment Ecosystems (BEE) framework, alongside a case study from the Ecological Living Module (ELM) UNEP Program, through an integrated systems approach with synergistic impact. We demonstrate how the multifunctional interlinking of building systems that harness local bioclimatic resources (ie. solar, wind, water, food, agricultural waste, biomaterials) can more viably address a broad spectrum of sustainable development challenges, while increasing local stakeholder agency. We outline how the BEE framework enables the association of SDGs as an integrated package, with an ELM performing as a scalable but self-reliant *Ecosystem of Systems*, that could enable systemic change, suggesting the need for further research towards a scale up in the density of such housing systems across multiple climatic and cultural contexts towards ubiquitous sustainable urban housing.

1. Introduction

In the face of rapid urbanization and continued climate change, the provision of housing for urban inhabitants, where 68% of the world's population is projected to live by 2050 [1], is an urgent global challenge. The provision of housing and associated infrastructure is an interdependent environmental and social justice issue, with the housing sector contributing to the depletion of earth's resources, the need for sustainable housing within our urban environments is of immediate importance. The housing sector consumes 40% of the earth's natural resources and contributes to a third of global greenhouse gas



emissions [2]. More frequented climate-related disasters threaten our urban infrastructures for water, energy, food, waste management, and air quality [3].

Given that the built environment directly impacts at least eight of the seventeen United Nations (UN) Sustainable Development Goals (SDGs) [4], a demonstration project of a microhouse that sought to reveal potential alternative outcomes through strategies for addressing these eight SDGs, is outlined in this paper. The microhouse named Ecological Living Module (ELM) was a collaboration between UN Environment, UN Habitat, Yale University School of Architecture, Yale Center for Ecosystems in Architecture (CEA) and Gray Organschi Architecture [5]. The ELM program aims to heighten awareness of the urban housing crisis and lead to a dialogue on how to redesign and rethink building systems and urban infrastructure through tangible systems demonstrations whose performance is directly visualized on a data visualization dashboard. The demonstration project revealed the potential for how the integration of multiple nature-based solutions such as the harnessing of onsite clean energy, safe sustainable water from ambient resources, indoor air remediation, urban micro-farming, bio-based renewable materials, and waste management could be managed and integrated into the housing unit itself, thereby enhancing the security, resource self-sufficiency and wellbeing of the occupants.

The ELM demonstration project brings several prior demonstration projects together under the umbrella of the Built Environment Ecosystems (BEE) Framework [6], [7], [8]. Some of the preceding demonstration projects include prototypes which have been in ongoing development for several years, in the areas of indoor air quality remediation [9], [10], solar energy [11], water capture and purification [12], and food production and renewable material systems [13] as well as data monitoring, acquisition, and visualization [14], [15], [16]. These are integrated into the ELM demonstration project showing how several sustainable technologies can be synergistically applied, with an aim to accelerating the technical and learning processes that can spur adoption of such technologies towards transformative and systemic change. Through this paper we explain the principles of the BEE Framework, how it was demonstrated via ELM and propose future research into how it can facilitate scale-up and adaptation to multiple climatic and cultural contexts.

2. Methods

This section outlines the methodological approach taken to investigate the potential of the Built Environment Ecosystem (BEE) framework. It starts with a description of the design and development of the demonstration project (i.e. ELM). It continues by characterizing the BEE Framework in terms of the SDGs and relating the building interventions in ELM with previous research and demonstration projects.

2.1. Description of the the demonstration project - ELM Design and Development

The design of the demonstration project involved the integration of material systems and environmental systems. The demonstration project was an interdisciplinary effort including architects, engineers, data scientists and policy experts. The module, with a floor area of 22m², was designed to house a family of four people and to be modular in its construction towards the scale up of higher density, multi-unit housing. The structure was fabricated off-site in a controlled fabrication environment. Stored as a compact container, it was transported to site by truck. It was erected on site in three days without the need for industrial equipment. The environmental systems, which are also modular in their design, were predesigned to fit in the structure and these were also assembled on site over the three-day period. A sensor network coupled with a data visualization and analytics platform was installed to monitor the overall performance of the ELM and the environmental conditions both inside and outside the home.

2.2. Characterizing the BEE Framework in terms of the SDGs

The methodological approach involved developing a demonstration project to investigate the potential of the Built Environment Ecosystem (BEE) framework. The ecosystemic approach of the BEE Framework aims to address multi-faceted, interdependent building interventions – solar, air, water, food,

and materials – that cover a broad spectrum of the economic, social, and environmental dimensions of sustainable development. We used the SDG framework to characterize each design intervention of the demonstration project, as outlined in **Table 1**. We also indicated in **Table 1**, previous literature and demonstration projects that each intervention builds upon. We then used the SDG targets and indicators as a monitoring mechanism and highlighted those aspects, which cut across environmental, social and economic spectrums [17]. Finally, by considering the associated SDG indicators as an integrated package that worked in harmony with one another, we analysed the overall building as an *ecosystem of systems* and studied how it functioned as a sustainable interdependent intervention. This allowed us to project the potential of the BEE framework for transformational change. In this regard, we evaluated the demonstration project against demonstration projects in the literature that have proposed that such projects accelerate the technical and social learning processes leading to rapid dissemination and adoption of sustainable technologies [18]. Critically, the BEE Framework provides an open architecture to test any emerging technology, however the preference would always slant towards systems that are locally sourced and appropriate to the climate and culture of a particular site. Therefore, in the case of this first demonstration, the building culture and climate of the North Eastern United States was considered in the specification and design of systems.




Figure 1. Axonometric view of ELM with associated SDGs towards an integrated systems thinking approach to sustainable development within the Built Environment. Photos © David Sundberg/Esto

Step 1 was to characterize the interventions within the demonstration project in terms of SDGs. These are described in **Table 1**. We analysed the ELM demonstration project referencing prior research on the individual demonstration projects, how each one addressed its associated SDG.

Table 1. Demonstration projects, research areas and associated SDGs built upon and developed in ELM.

SDG No.	Research Areas	Demonstration Projects	Type	Literature source
2	Urban farming	Micro-farming facade	prototype	
3	Indoor air purification	Active Modular Phytoremediation System	prototype	[9], [10]
6	Water capture and purification	De-Humidification systems and rainwater capture	prototypes	[12]
7	Renewable energy	BAPV and ICSF	Renewable technologies	[11]
9	Circular Material Life Cycle	CLT building	building	[13]
11	Socio-ecological design	Ecosystem of systems	building	[14], [15], [16]
12	circular material life cycle, onsite clean renewable energy and water	CLT building, BAPV and ICSF, De-humidification systems and rain water capture	Building, prototypes	[13], [19]
13	BEE framework	Ecological Pavilion Exhibit, Accra exhibit, Haiti pavilion etc.	exhibit	[6], [7], [8], [20]

3. Results – Demonstration of SDGs

Our results outline the potential of the BEE framework for built environment design. Below is an outline of aspects and interventions within the ELM demonstration project in terms of eight SDGs and their associated targets and indicators. Finally, we outline how these interventions are not incremental silos, but rather interventions that work together to foster systemic change.

3.1. SDG 2 End hunger, achieve food security and improved nutrition, and promote sustainable agriculture – Micro-farming façade to produce fruit and vegetables on site

The micro-farming wall was located on the west façade of the ELM. The façade tapers out at many locations to allow for food growing in each pocket of the façade. These were designed to allow for optimum sunlight for fruit and vegetable growth and is irrigated via harvested rainwater from the roof which is distributed by channels in the walls to a water reservoir in each planter. In terms of the BEE framework, the criteria for plant growth and water usage is designed to fit the specific context, including the selection of native fruit and vegetables. For the New York context, the ELM micro-farming wall provides 65% of the nutrient dense fruit and vegetable servings recommended for a family of four per year based on the recommendation of 5-6 daily servings per person [21]. In particular, this addresses Target 2.1 and 2.2 which aims to end hunger and end all forms of nutritional deficiency by 2030.

3.2. SDG 3 Ensure healthy lives and promote well-being for all at all ages – A combination of environmental and material systems to encourage enhanced human health and well-being

As stated above, the BEE framework considers human health in terms of providing nutritious food to its inhabitants via micro-farming, but it also considers human health in terms of indoor air quality and a healthy microbiome. The Active Modular Phytoremediation System (AMPS) [9] [10] within ELM measures the provision of fresh air from within the building interior through the bioremediation of airborne pollutants associated with global environmental health risks. Therefore, in very polluted environments where the outdoor air quality is compromised, this system aims to actively improve the

air quality and trap pollutants before occupants are exposed, thereby enhancing the occupants' human health and well-being. This is in response to SDG Indicator 3.28. "Mortality from indoor air pollution". Further experiments will test the human health and well-being of occupants living in the ELM.

3.3. SDG 6 Ensure availability and sustainable management of water and sanitation for all – Rain Water Capture and Dehumidification Systems and Ecological Waste Management.

In terms of water, the BEE framework proposes multiple strategies to deal with water including water capture by means of desiccation in hot humid climates. However, in this demonstration project with the humid subtropical Koppen climate classification type of New York City, water was collected via rain water capture and potable water was produced using a dehumidification system which captured and condensed water vapour from the ambient air stream. This intervention aimed to address Target 6.1 in achieving safe and affordable drinking water for all by 2030. A dry composite toilet was installed for waste management and sanitation, responding to Target 6.2 to achieve adequate sanitation for all by 2030.

3.4. SDG 7 Ensure access to affordable, reliable, sustainable, and modern energy for all –Building Integrated Renewable Energy Systems – Stand Alone Renewable Energy System compatible with smart grid technology.

Two solar systems operate in the ELM to allow on-site renewable electricity production to meet the energy demands of the building. The building was off-grid and energy self-sufficient, producing enough energy to meet the needs of four people. A previous study [22] quantified the gross yearly electricity demand of ELM as 2,600 kWh/yr compared to a typical New York home with a yearly electricity demand of 6,860 kWh/yr for New York [23]. We assume the difference to be due to the smaller footprint and overall morphological form of the building. The Integrated Concentrating Solar Façade (ICSF) [11] is located within the roof light of ELM. It captures solar energy, transforms that energy to electricity and distributes it through the building. Since it captures the direct solar radiation beam, it only allows diffuse light into the space, thereby providing natural daylighting without glare and the reducing the use of artificial lighting. By relying solely on renewable energy to meet the electricity demand of ELM using modern energy services, Targets 7.1 and 7.2 are being met and demonstrated.

3.5. SDG 9 Build resilient infrastructure, promote inclusive and sustainable industrialization and foster innovation – modular design and circular material life cycle.

By producing water and energy on-site and developing construction and environmental systems which are modular and therefore, easily disassembled and reassembled, the ELM is designed to exhibit a resilient response to urban infrastructure and construction ecologies. The building energy systems are compatible for smart grids and distribution networks. The material systems are based on biomaterials, namely Cross-Laminated Timber (CLT), which is locally sourced and promotes sustainable industrialization in terms of new means of building with biomaterials for large scale building and with the fabrication of building components off-site in a controlled environment for more sustainable, accurate and cost efficient construction and manufacturing processes. These aspects of ELM are examples of the BEE framework principles, which aim to promote a circular economy and systems-thinking approach in terms of energy and material flows within the built environment. Through demonstrating new sustainable infrastructure mechanisms for water, energy and material life cycle, the ELM demonstrates aspects of Target 9.1 and 9.5, such as developing reliable, sustainable and resilient infrastructure enhanced by scientific research.

3.6. SDG 11 Make cities and human settlements inclusive, safe, resilient and sustainable – ecosystems of systems.

The goal of the BEE Framework, as demonstrated in the ELM, is to provide a sustainable toolkit for on-site self-sufficiency that addresses the multi-faceted requirements of buildings from shelter, liveability, cultural significance to air, water, heating, cooling, lighting, waste management and sanitation. Providing these must not have adverse environmental effects. This complex web of requirements needs an ecosystemic logic to track these needs and map their performance and potential consequences. The BEE framework provides this mapping mechanism for the built environment through a framework that links these requirements with the SDGs in order to lens it through a global context and framework what is internationally recognized. By doing this we can analyse and evaluate if our built environments are meeting Targets 11.1 - 11.3 of inclusive, safe, resilient, sustainable and affordable housing and urban fabric.

3.7. SDG 12 Ensure sustainable consumption and production patterns – circular material life cycle, onsite clean energy.

The BEE framework promotes a circular economy approach influenced by a socio-ecological mindset. This means waste cycles in material and energy flows are virtually eliminated, unless categorically not viable. In the ELM, this is showcased through the on-site renewable energy and water production as outlined in sections 2.2.3 and 2.2.4, but also through the use of a renewable bio-material in CLT as is outlined in section 2.2.5. From a life cycle perspective, biomaterials promote sustainable consumption and production patterns by moving away from the linear material economy of conventional non-renewable construction materials. These materials, such as concrete and steel, depend on the extraction of natural resources and intensive energy usage and for their manufacture, transportation and construction, ultimately increasing carbon emissions and exasperating climate change effects. In the case of bio-based renewable materials such as the CLT used in ELM, these locally sourced materials, sequester carbon within the building during their operational life time which would otherwise have been released into the atmosphere [24]. In terms of urbanization, this potential to reduce the carbon footprint of buildings has great potential for resilient and regenerative cities, aligning with Targets 12.1, 12.2, 12.4 and 12.5.

3.8. SDG 13 Take urgent action to combat climate change and its impacts – ELM aims to address the challenges of the Built Environment in reducing adverse environmental impacts – including the scalability of such an approach.

The BEE framework encourages the consideration of our buildings as ecosystems of systems. The ELM shows how multiple environmental systems and material systems can merge in a single building to form an ecosystem, which produces its own renewable water, energy, food, and clean indoor air and sequesters carbon via its material life cycle. On a global scale, such a premise could have huge consequences for how our built environments meet the needs of urban interventions greatly reducing the housing sectors consumption of natural resources and production of global greenhouse gas emissions, aligning with Target 13.1.

The ELM has a data collection and monitoring system embedded, including a sensor network both inside and outside the house. Environmental data is collected on multiple environmental and human health factors, such as the comparison of indoor and outdoor environmental conditions, alongside the ecosystemic performance for the delivery of all required functions such as heating, cooling, cooking, refrigeration, air remediation, as achieved through through on-site energy and water collection, generation and consumption. Further research will test the biometric factors of occupants living within the home to learn more about the health impacts of such a framework. The collection and visualization of this data facilitates the understanding and monitoring of the house in terms of the SDGs. It allows for design and systems upgrades on future iterations of a building design that employs the BEE framework.

This leads to further questioning of how the BEE framework can be tested and deployed at a large scale in order to have global impact. The following discussion section outlines the challenges of scale-up and potential strategies to overcome them.

4. Discussion

One issue outlined in the literature regarding sustainable development, was the challenge in achieving systemic change. Research found that a ‘siloes’ or non-integrated approach to dealing with energy, water, material life cycle, food production and air quality when considering housing design ultimately struggled to achieve fundamental sustainable change. Broto and Bulkeley [25] point out that siloes forms of experimentation that do not fundamentally challenge mainstream ideas and approaches regarding the production and consumption of energy and other fundamental supply interventions in our cities, hamper the capability to foster systemic change. Broto and Bulkeley’s [25] investigation into numerous interventions concludes that most experimentation involves incremental interventions, yet further research is needed to shift from incremental interventions to interventions which could foster widespread systemic change. Examples of systems thinking experimentation in housing is increasingly emerging, particularly with demonstration projects occurring in Europe [26], [27], [28]. A commonality between these demonstration projects and the ELM is their climate-specific design and integration of building systems. The BEE framework, as exemplified by ELM, promotes an ecosystem-of-systems approach that is scalable and adaptable to different global regions. The framework adopts systems thinking, encouraging technologies which are modular and can leverage the existing climate conditions of various regions. In other words, buildings do not function like globally uniform ‘products’, rather they must adapt to the climate and building culture in which they are located. The BEE framework allows and encourages this adaptation and embraces the integration of building systems which enable the building to capture and transform energy, water and air.

Existing research involving integrated building systems for energy, water, food and air, reveal a lack of communication and cooperation among building stakeholders in the design of these systems. Li et al. [29] argue that building-integrated systems are necessary for scale up of sustainable development in the built environment. They identify the lack of communication and cooperation among building stakeholders, especially architects, structural engineers, electricians and equipment division. In particular, current specifications among these groups are not standardized and there is a lack of collaboration in the architectural design phase, which is required for adequately integrating building systems into architectural design. In response to the twin challenges of integration and scalability, through the shared data platform, the BEE framework aims to facilitate an interdisciplinary approach to built environment design whereby architects, engineers and construction experts collaborate alongside other disciplines (e.g. biologists, ecologists, urban planners, environmental economists, data scientists and /or material scientists etc.) as needed. Such a response aims to achieve integration across building and urban scales that is capable of fostering transformational and systemic change.

5. Conclusion

There is a gap in the literature regarding the overlap of building scale and urban scale interventions, whereby the potential for systemic change would be transformational if more coordination could be sought between the distributed, domestic-scale infrastructure that capitalizes on ambient clean energy resources, with the more centralized municipal services, whose loads and requirements would be substantially relieved by the distributed domestic scale installations. Hence, the next steps in the development of the BEE framework is to develop a demonstrate project at the urban scale which explores and addresses this question of interdependent scalability. Demonstration projects are an important mechanism to assist in transformation change by measuring and exhibiting how barriers are overcome in reaching the intended upscaling. Meadowcroft [30] reinforces the benefits of demonstration projects, which showcase novel practices and technologies in order to initiate change and convey both the potential and limitations of different methods. He calls this “learning-by-doing”. Demonstration projects imbedded within communities show what is possible. The ELM demonstration aimed to reveal a tangible example of addressing the SDGs through built environment systems. The demonstration was a method to further explore the potential of the BEE Framework. It was to be shown for one week during the UN High Level political forum in New York City, July 2018, but due to its success in spurring public

engagement and awareness of the SDGs, it remained on the plaza as a demonstration of SDGs for two months, and has spurred the planning of future ELM's in different parts of the world, whereby we can stream performance data on an open range of emerging technologies and methods. This is a testimony to the ELM but also to the power of demonstration projects as a means forward in adopting new suitable technologies and practices in the built environment. The literature stresses [18], [30] the necessity to link technology and social innovation in order for society to embrace a path forward towards sustainable development.

References

- [1] United Nations, "World Urbanization Prospects: The 2018 Revision," United Nations, New York, 2019.
- [2] IRP, S. Bringezu, A. Ramaswami, H. Schandl, M. O'Brien, R. Pelton, J. Acquatella and S. Giljum, "Assessing Global Resource Use: A System Approach to Resource Efficiency and Pollution Reduction.," UN Environment, Nairobi, 2017.
- [3] IPCC, "Global Warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty ," [V. Masson-Delmotte, P. Zhai, H. O. Pörtner, D. Roberts, J. Skea, P.R. Shukla, A. Pirani, W. Moufouma-Okia, C. Péan, R. Pidcock, S. Connors, J. B. R. Matthews, Y. Chen, X. Zhou, M. I. Gomis, E. Lonnoy, T. Maycock, M. Tignor, T. Waterfield (eds.)]. , 2018.
- [4] United Nations, "Transforming our world: the 2030 Agenda for Sustainable Development," 2015. [Online]. Available: <https://sustainabledevelopment.un.org/post2015/transformingourworld>.
- [5] Yale News, 11 July 2018. [Online]. Available: <https://news.yale.edu/2018/07/11/yale-school-architecture-and-un-environment-unveil-eco-living-module> .
- [6] N. Keena, "Positive Feedback: Energy Towards Healthy Living Environments," 2019. [Online]. Available: Retrieved at <https://yalepaprka.com/articles/positive-feedback-energy-towards-healthy-living-environments>.
- [7] M. Aly Etman, N. Keena, N. Diniz, A. Rempel and A. Dyson, "New Parametric Framework Motivating Environmentally Conscious Design," in *PLEA 36th International Conference on Passive and Low Energy Architecture*, Los Angeles, 2016.
- [8] N. Keena, M. Aly Etman, A. Rempel and A. Dyson, "Designing Built Ecologies: Investigating the Potential of Energy Analysis to inform the decision making process within Architectural Systems Design," in *PLEA 36th International Conference on Passive and Low Energy Architecture* . , Los Angeles, 2016.
- [9] A. Aydogan and L. D. Montoya, "Formaldehyde Removal by Common Indoor Plant Species and Various Growing Media," *Atmospheric Environment* , vol. 45, no. 16, pp. 2675-82, 2011.
- [10] A. Aydogan, Building-integrated active modular phytoremediation system, (Doctoral dissertation, Rensselaer Polytechnic Institute), 2012.
- [11] A. H. Dyson, M. K. Jensen and D. N. Borton, "Concentrating type solar collection and daylighting system within glazed building envelopes". U.S. Patent 7,745,723, 29 June 2010.
- [12] A. H. Dyson, J. Vollen, M. Mistur, P. Stark, K. Malone and M. Gindlesparger, "Solar enclosure for water reuse". U.S. Patent 9090486B2, 28 July 2015.
- [13] A. Organschi, A. Ruff, C. Carbone, E. Herrmann and O. Chadwick, "Timber City: Growing an Urban Carbon Sink with Glue, Screws, and Cellulose Fiber.," in *Proceedings of World Conference on Timber Engineering*, Vienna, Austria, 2016.
- [14] N. Keena and A. Dyson, "Qualifying the quantitative in the construction of built ecologies," in *D Benjamin (Ed), Embodied energy and design*, New York, Columbia University GSAPP Lars Müller, 2017, pp. 196-205.
- [15] N. Keena, A. Brennen and A. Dyson, "Visualization with the Data Journey Platform," in *Presentation at Grand Challenges Meeting*, Washington D.C., 2017.
- [16] A. Dyson, N. Keena, M. Aly Etman, J. McCusker and e. al., "Data Journey (DJ): Data Visualization Framework," in *Poster and Demonstration at the Grand Challenges Meeting*, Washington D.C., 2017.
- [17] G. Schmidt-Traub, E. De la Mothe Karoubi and J. Espey, "Indicators and a monitoring framework for the Sustainable Development Goals: Launching a data revolution for the SDGs," Sustainable Development Solutions Network, 2015.
- [18] B. A. Bossink, "Demonstrating sustainable energy: A review based model of sustainable energy demonstration projects. .," *Renewable and Sustainable Energy Reviews*, vol. 77, pp. 1349-1362, 2017.
- [19] N. Keena, M. Raugei, M. Aly Etman, D. Ruan and A. Dyson, "Clark's Crow: A design plugin to support energy analysis decision making towards sustainable urban ecologies," *Ecological Modelling*, vol. 367, pp. 42-57, 2018.

- [20] RPI, "CASE Coconut Building Panels on Display in Ghana," 22 September 2016. [Online]. Available: <https://news.rpi.edu/content/2016/09/22/case-coconut-building-panels-display-ghana>.
- [21] WHO, "Nutrition databases," December 2019. [Online]. Available: <https://www.who.int/nutrition/databases>. [Accessed 12 December 2019].
- [22] M. Raugei, N. Keena, N. Novelli, M. Aly Etman and A. Dyson, "Life-cycle scenario analysis of the energy and environmental benefits of conventional and advanced photovoltaic solar systems on an Ecological Living Module (ELM) in three key locations," *The Journal of Industrial Ecology (in review)*, 2020.
- [23] US Energy Information Administration, "New York State Profile and Energy Estimates," 2019. [Online]. Available: <https://www.eia.gov/state/?sid=NY#tabs-5>.
- [24] J. Hildebrandt, N. Hagemann and D. Thrän, "The contribution of wood-based construction materials for leveraging a low carbon building sector in Europe," *Sustainable cities and society*, vol. 34, pp. 405-418, 2017.
- [25] V. C. Broto and H. Bulkeley, "A survey of urban climate change experiments in 100 cities," *Global environmental change*, vol. 23, no. 1, pp. 92-102, 2013.
- [26] G. I. McKinsey, "Smart cities: Digital solutions for a more livable future," Retrieved from <https://mckinsey.com/mgi>., 2018.
- [27] M. H. Rehmani, M. Reisslein, A. Rachedi, M. Erol-Kantarci and M. Radenkovic, "Integrating renewable energy resources into the smart grid: Recent developments in information and communication technologies," *IEEE Transactions on Industrial Informatics*, vol. 14, no. 7, pp. 2814-2825, 2018.
- [28] RaEng, "Generating the Future: UK Energy Systems Fit for 2050," The Royal Academy of Engineering, London, 2010.
- [29] D. Li, J. He and L. Li, "A review of renewable energy applications in buildings in the hot-summer and warm-winter region of China," *Renewable and Sustainable Energy Reviews*, vol. 57, pp. 327-336, 2016.
- [30] J. Meadowcroft, "What about the politics? Sustainable development, transition management, and long term energy transitions," *Policy sciences*, vol. 42, no. 4, p. 323, 2009.